

**ORDINANCE 2012-15**  
**AN ORDINANCE UPDATING THE CITY OF GREENCASTLE**  
**AMERICANS WITH DISABILITIES ACT TRANSITION PLAN**

WHEREAS, the Americans with Disabilities Act ("ADA") provides civil rights protection to qualified individuals with disabilities in five (5) areas of public and private life, including: Employment, Public Accommodations; Public and Private Transportation; Telecommunication Relay Services; and Services Provided by State and Local Governments.

WHEREAS, it is the policy of the City of Greencastle not to exclude qualified individuals with disabilities from participation in or benefiting from the services, programs or activities of the City;

WHEREAS, it is the policy of the City of Greencastle not to discriminate against a qualified individual with a disability in its job application procedures; the hiring, advancement or discharge of employees; employee compensation; job training and other terms, conditions and privileges of employment. The complete anti-discrimination in employment policy is contained within the City of Greencastle Employee Manual.

WHEREAS, it is the intention of this municipality to comply with all applicable requirements of the ADA. To meet its obligations, the City of Greencastle will, to the extent possible:

1. Ensure that services provided by the City are equally available to individuals with disabilities;
2. Ensure that individuals with disabilities are able to participate in City sponsored programs and activities;
3. Remove structural and architectural barriers to participation by individuals with disabilities in City owned and leased buildings and facilities and on City sidewalks.
4. Take steps to ensure that vendors, contractors and others who do business with the City do not discriminate against individuals who have disabilities;
5. Reaffirm that the City is an equal opportunity employer, and that hiring is done without reference to race, gender, religion, natural origin or disability;
6. Provide a complaint/suggestion procedure by which individuals with disabilities might make known to the City problems that exist in the provision of City services, so that such problems may be resolved quickly and fairly.
7. Maintain an ADA Coordinator who shall be responsible for oversight of all ADA compliance activities and shall receive, investigate and resolve complaints. The ADA Coordinator shall be the Building Commissioner, or such other person as the Mayor shall designate.

WHEREAS, a requirement of the ADA is the creation of a Transition Plan whereby a municipality must identify City services and facilities that have barriers to accessibility, and forecast when those barriers can be removed, with available funds. The Transition Plan also sets out a complaint procedure for a person's grievances or suggestions. Copies of the proposed Transition

Plan have been available to the public, for review and comment, at City Hall and the Putnam County Library. A public hearing was held at City Hall on November 8, 2012 to provide the public an opportunity to give input into the Plan.


NOW THEREFORE, BE IT ORDAINED BY THE COMMON COUNCIL of the City of Greencastle, that it hereby adopts the attached Transition Plan, entitled, The City of Greencastle Americans With Disabilities Transition Plan, 2012.


BE IT FURTHER ORDAINED, that the Transition Plan will be reviewed annually, and a complete Self-Evaluation of city facilities will be conducted at least once every five years.


BE IT FURTHER ORDAINED, that the above Transition Plan replaces in its entirety, all other former Transition Plans and ADA Compliance Policies, including the ADA Policies adopted in 2003 and the 2006 Transition Plan.

This Ordinance shall have full force and effect upon passage of the Greencastle Common Council and its approval by the Mayor.


PASSED AND ADOPTED by the Common Council of the City of Greencastle, Indiana this 11<sup>th</sup> day of December, 2012.

  
\_\_\_\_\_  
Adam Cohen


  
\_\_\_\_\_  
Jinsie S. Bingham


  
\_\_\_\_\_  
Mark N. Hammer

  
\_\_\_\_\_  
Phyllis Rokicki

  
\_\_\_\_\_  
Terry Smith

Approved and signed by me this 11<sup>th</sup> day of DECEMBER, 2012 at 7:30 o'clock P.m.

  
\_\_\_\_\_  
Sue Murray, Mayor

ATTEST:  
  
\_\_\_\_\_  
Lynda Dunbar, Clerk-Treasurer

# City of Greencastle, IN



## Americans with Disabilities Act Transition Plan 2012



# Contents

## **I. Introduction**

A brief summary of the goals of the Americans with Disabilities Act, as well as Greencastle's plan to transition into ADA compliance. Includes descriptions of the legal requirements, scheduling, responsible individual, means of public input related to the project, and the complaint procedure.

## **II. Facilities Reports**

A report on the facilities owned by the City of Greencastle that have been evaluated by ADA guidelines. This section contains a brief summary of the facilities, the ADA assessment, items already completed (where applicable), and any recommendations for completion of remaining items.

## **III. Streets and Sidewalks**

Because of the size of the streets and sidewalks division of the project, it has been given its own section. This section describes the analysis of the accessibility of Greencastle's streets and sidewalks, lists the goals of the streets and sidewalks division of the compliance plan, and provides records for all ADA related construction for the years 2005-2012. It also outlines future construction plans related to the project. Items include accessibility goals, scope of the ADA Transition Plan, ramps and footage statistics, Greencastle street maps, and listing of the construction projects by year.

## **IV. Communications**

Accessibility is not limited to physical barriers, it also involves accessibility to meetings and other public services for sight and hearing impaired individuals. This section addresses the services and reasonable accommodations available to individuals.

## **V. Appendices & Attachments**

All additional information that does not fall into the previous sections. Items include detailed facility inspection reports, Complaint and Documentation Form, and ramp inventory.

<b>I. Introduction.....</b>	<b>3</b>
<b>A. Legal Requirements.....</b>	<b>3</b>
<b>B. Schedule.....</b>	<b>4</b>
<b>C. Responsible Individual.....</b>	<b>4</b>
<b>D. Public Input.....</b>	<b>5</b>
<b>E. Request for Accommodations/Grievance Procedure.....</b>	<b>5</b>
<b>II. Facility Reports.....</b>	<b>6</b>
<b>A. Cemetery Department.....</b>	<b>7</b>
<b>B. City Hall.....</b>	<b>9</b>
<b>C. Fire Department.....</b>	<b>11</b>
<b>D. Parks.....</b>	<b>13</b>
<b>1. Parks and Recreation Main Office.....</b>	<b>13</b>
<b>2. Big Walnut.....</b>	<b>14</b>
<b>3. Jaycee.....</b>	<b>15</b>
<b>4. Maple Berry.....</b>	<b>16</b>
<b>5. Robe-Ann.....</b>	<b>17</b>
<b>a. Shelters.....</b>	<b>18</b>
<b>b. Tennis Courts.....</b>	<b>19</b>
<b>c. Aquatic Center.....</b>	<b>20</b>
<b>d. Softball.....</b>	<b>21</b>
<b>E. Police Department.....</b>	<b>22</b>
<b>F. Public Works and Safety.....</b>	<b>23</b>
<b>G. Wastewater Department.....</b>	<b>24</b>
<b>H. Water Department.....</b>	<b>26</b>
<b>III. Ramps and Sidewalks.....</b>	<b>27</b>
<b>A. Curbs.....</b>	<b>27</b>
<b>1. Curb Ramp Standards.....</b>	<b>27</b>
<b>2. Survey of Curb Ramps.....</b>	<b>27</b>
<b>3. Priorities for Ramp Replacement.....</b>	<b>30</b>
<b>4. Curb Ramp Evaluation.....</b>	<b>30</b>
<b>5. Goal for Completion.....</b>	<b>31</b>
<b>B. Sidewalks.....</b>	<b>32</b>
<b>1. Evaluation Criteria.....</b>	<b>32</b>
<b>C. Pathways.....</b>	<b>33</b>
<b>D. Sidewalk Improvement Program.....</b>	<b>33</b>
<b>IV. Communications.....</b>	<b>34</b>

#### **APPENDICES**

- Appendix A. Complaint and Documentation Form**
- Appendix B. Detailed Facility Inspection Reports**
- Appendix C. Facility Photos**
- Appendix D. The Will Center Report**
- Appendix E. Ramp Inventory**
- Appendix F. People Pathways Map**
- Appendix G. Sidewalk Improvement Program**

## **I. Introduction**

The City of Greencastle Americans with Disabilities Act (ADA) Transition Plan sets out policies and practices for implementing physical pedestrian improvements within the public right-of-way of the City of Greencastle (the City). The goal is to optimize the pedestrian experience, to provide safe and usable pedestrian facilities for all pedestrians, and to assure compliance with all federal, state and local regulations and standards. The ADA Transition Plan is intended to represent both the legal and functional goals and objectives of the City to make the existing pedestrian facilities within the City right-of-way accessible and usable for persons with disabilities.

The City of Greencastle is undertaking the ADA Transition Plan to enhance walking as a viable transportation choice to help make Greencastle a better place to live. The ADA requires all public agencies to develop an ADA Transition Plan for the installation of curb ramps or other sloped areas at all locations where walkways cross curbs. The plan must include a schedule for curb ramp installation and for other improvements necessary to achieve programmatic accessibility for persons with disabilities.

One purpose of this ADA Transition Plan (the Plan) is to describe the curb ramp and other pedestrian facility needs in the City, and to outline the recommended procedures for implementing and scheduling remedial work to provide a complying system of curb ramps, pedestrian signals and sidewalks. The ADA Transition Plan covers the City of Greencastle in its entirety. The City has a wide variety of facilities within the public right-of-way. These facilities include streets and roadways, vehicular and pedestrian bridges, underground and above-ground utilities, vehicular and pedestrian signal systems, signage systems, on-street parking facilities, walkways, sidewalks with curb ramps at intersections, planting strips and buffers, pedestrian activity areas, unimproved open spaces, and City-owned facilities.

The Transition Plan identifies physical barriers and prioritizes improvements that should be made throughout the City. This Transition Plan describes the existing policies and programs to enhance overall accessibility.

### **A. Legal Requirements**

The federal legislation known as the American with Disabilities Act (ADA), enacted on July 26, 1990, provides comprehensive civil rights protections to persons with disabilities in the areas of employment, state and local government services, and access to public accommodations, transportation, and telecommunications. Title II specifically applies to "public entities" (state and local governments) and the programs, services, and activities they deliver. Title II Article 8, requires public entities to take several steps designed to achieve compliance. A plan, at a minimum, shall include:

1. A list of the physical barriers in a public entity's facilities that limit the accessibility of its programs, activities, or services to individuals with disabilities.

2. A detailed outline of the methods to be utilized to remove these barriers and make the facilities accessible.
3. The schedule for taking the necessary steps to achieve compliance with Title II.
4. The name of the official responsible for the plan's implementation.

Transition plans provide a method for a public entity to schedule and implement ADA required improvements to existing streets and sidewalks. Before a transition plan can be developed, an inventory of the current curb ramps and sidewalks should be developed.

## **B. Schedule**

As opportunity and funds become available, the City shall make efforts to improve the ADA Accessibility of pedestrian facilities in the public right-of-way. As stated by the ADA, "compliance is required to the extent practicable within the scope of the project." There will be times when it is technically infeasible to provide technical compliance: for example, if clear space at the top of the ramp is obstructed by a building or the slope of a hill is so extreme as to prevent a reasonable slope for a ramp in both directions.

Additionally, given a program as broad and comprehensive as the City's pedestrian network, the City will follow the concept of Program Access under Title II of the ADA. Program Access does not necessarily require a public entity to make each of its existing facilities accessible to and usable by individuals with disabilities, as long as the program as a whole is accessible. Under this concept, the City may choose not to install a sidewalk at some locations (or to install them as a lower priority later), as long as a reasonable path of travel is available even without the sidewalk.

## **C. Responsible Individual**

The ADA Coordinator and public official responsible for the implementation of the City's ADA Transition Plan for the pedestrian facilities in the right-of way is:

Dave Varvel  
Building Commissioner and ADA Coordinator  
1 North Locust St.  
Greencastle, IN  
46135  
Phone: (765)-653-8522  
Fax: (765)-653-8707  
dvarvel@cityofgreencastle.com

## **D. Public Input**

The City of Greencastle provided opportunities for individuals to comment on this Transition Plan, which included:

- Document copies available and notices sent to local public library
- Document made available at City Hall
- Document made available on Greencastle's website
- Public hearing advertised in the Banner Graphic newspaper and held at City Hall on November 8, 2012 at 4:00 p.m.
- Transition Plan presented on November 13, 2012 at the City Council Meeting
- A second reading and passage occurred at the City Council Meeting on December 11, 2012. Both meetings were televised on the local public access channel.
- Document provided to the Putnam County Council on Aging.

The City published a legal notice in the local newspaper, the Banner-Graphic, announcing the availability of the Transition Plan draft at the Greencastle Public Library and City Hall. This notice also provided instructions regarding the timetable for comments and where to send them.

Formal adoption of the Transition Plan took place on December 11, 2012. It will be available on the City's webpage ([www.cityofgreencastle.com](http://www.cityofgreencastle.com)) and by written formal request to the ADA Coordinator.


## **E. Request for Accommodations and Grievance Procedure**

It is a priority of the City of Greencastle to provide accessibility for all its citizens. When there is an impediment, we want to know about it. Appendix A, attached to this Plan, is the City's Complaint and Documentation Form. Any time that a member of the public, or a city employee is in need of a reasonable accommodation that the City is not already providing, or has a complaint regarding the condition of a sidewalk, ramp, building or other public facility, the form should be filed with the ADA Coordinator at the address listed above. The ADA Coordinator shall investigate each request and/or complaint and shall document his/her findings. All forms shall be kept on file at City Hall for at least one year. It is the City's priority to respond to all concerns in a timely way.

## II. FACILITY REPORTS

The City of Greencastle, through its ADA Coordinator and Building Inspector, completed a full facility review. The following sections describe the City's various buildings and facilities. The facility report does not list all of the ways that the City is compliant with the ADA; instead, it lists those items that are not in full compliance. In each subsection, there is a brief description of the facility. Following the description is a chart, listing those items that need to be addressed, along with, in most cases, a reference to the Building Code that describes the requirement. The chart also lists what needs to be done to bring the item into compliance and a projected date for completion. Some items require the expenditure of significant funds in order to retrofit a building. With funds becoming more and more limited for municipalities, those improvements will be made as soon as funds become available. A copy of the detailed facility inspection reports is attached to this Plan as Appendix B. Photos of the areas discussed are attached as Appendix C.

## A. Cemetery Department



### Summary of Facilities:

Forest Hill Cemetery is located at 2181 South County Road 50 West. The caring employees at Forest Hill Cemetery provide specialized funeral services designed to meet the needs of each family. The professional, dedicated staff assist in making funeral service arrangements. The cemetery also maintains a Civil War Veterans Memorial, erected in 1870. The facilities include an office/maintenance building, a storage building and two shelters. The shelters and storage building are newly constructed and comply with ADA standards. The area of the cemetery where infants are buried and where the columbarium are located is fully accessible by a paved parking area and compliant sidewalks and ramps. The office/maintenance building was constructed in 1979, which presents challenges to accessibility. There are four employees who work for Forest Hill Cemetery and the facilities are open to the public. The following are the results of the 2006 facilities assessment.

<i>Description</i>	<i>Work Necessary for Compliance</i>	<i>Estimated Date of Completion</i>
Accessible routes do not meet the minimum required width (4.3.3).	Remove furniture and obstacles from route of travel.	Completed.
Interior doors do not meet wheelchair space allowance and reach range requirement or minimum width standards (4.13.5).	Remove internal walls and cement walls and ceiling. Would require major reconstruction of building.	As funds become available.
Bathroom door width and door handles do not meet A.D.A. standards (4.13).	Replace Door handles. Remove wall, reconstruct wall and replace door.	Completed. As funds become available.
Restroom does not meet requirements for floor space, height, grab bars, flush controls and dispensers (4.22.4)(4.26).	Lower sink. Replace toilet. Install grab bars. Replace faucet. Size of room rechecked.	Complete by 12/31/13. Complete by 12/31/13. Completed. Complete by 12/31/13. Completed.
The urinals and toilet do not meet the requirements for accessible urinals (including height, floor space and flush controls) (4.22)(4.24).	Replace and lower urinal and toilet.	Complete by 12/31/13.
Bathroom mirror bottom edges exceed the maximum height (4.19).	Lower bathroom mirror.	Completed.
Exposed pipes in the bathroom are not protected to avoid personal contact (4.24.6).	Place approved protective material around pipes.	Completed.
Bathroom faucets do not comply (4.27.4).	Replace faucet.	Completed.
Toilet paper and paper towel dispensers do not comply with criteria that include floor space, maximum height, and one-hand operation (4.27).	Move toilet paper dispenser. Replace and move paper towel dispenser.	Completed. Complete by 12/31/13.
Parking and loading zones and parking signs no not meet ADA requirements (4.6).	Mark parking lot and install a handicap parking sign.	Completed.
Outside door handles do not meet ADA standards.	Replace door handle.	Completed.

## B. City Hall



### Summary of Facilities:

Greencastle City Hall is located at 1 North Locust Street. It hosts the offices of the Mayor, as well as the ADA Coordinator/Building Inspector, Clerk-Treasurer, City Attorney, Civil Engineer, City Planner, Utility Clerks, and more. It is the location where utility customers can set up accounts and make payments. Currently, there are fifteen employees who work at City Hall. It is also the location where most public meetings are held, including City Council, Board of Zoning Appeals and Park Board meetings.

<i>Description</i>	<i>Work Necessary for Compliance</i>	<i>Estimated Date of Completion</i>
Pipes in bathroom not protected from personal contact (4.19.4).	Construct cabinet around exposed pipes.	Completed.
Urinals exceed maximum height above floor level (4.18.2).	Lower urinal height.	To be completed by 12/31/13.
Inadequate marking of handicap parking area (4.6.4).	Re-paint handicap parking area.	Completed.

Flush controls in bathrooms do not meet standards (4.18.4).	Replace flush controls.	Completed.
Lack of handicap accessible routes which serve as egress in case of emergency (4.3.10).	Reconstruct rear, outside wall to change location of current rear door.	As funds become available.
Utility counter exceeds height for wheelchair accessibility (7.2).	Provide lower, wheelchair accessible table where papers can be filled out.	Completed.
No Braille sign for restroom facilities.	Install Braille restroom signs.	Completed.
Restrooms do not comply with minimum space necessary for two wheelchairs to pass, or for a wheelchair to make a full turn (4.2.3)(4.22.3).	Remove walls and reconstruct bathroom facilities.	As funds become available.

\*\*\*Note: In addition to the 2006 Facilities Assessment, City Hall was evaluated in 2011 by a representative from the Wabash Independent Living and Learning Center (The Will Center). A copy of their assessment is attached as Appendix D.

### c. Fire Department



#### Summary of Facilities:


The Greencastle Fire Department is located at 107 S. Indiana Street. The fire department currently has sixteen full-time firefighters and eighteen reserve firefighters that work from this location (three fire department employees work from City Hall). The firefighters have a kitchen, showers and sleeping quarters on the second floor of the building. The fire department currently has one station with three pumpers, one aerial platform, one brush truck, one rescue truck, two support vehicles, Hazardous Material Operations Trailer, Mass Decon Trailer, and a fire safety house. The building has a training room that is used by City employees as well as emergency management personnel from around the area.

<i>Description</i>	<i>Work Necessary for Compliance</i>	<i>Estimated Date of Completion</i>
Restrooms do not comply with guidelines for minimum number, doors and clear floor space (4.22.1-3).	Cut concrete walls to increase size and width of room.	As funds become available.
Height of toilets in restrooms do not meet requirements (4.16.3)(4.19.2).	Modify toilet heights to meet requirement.	To be completed by 12/31/13.
Grab bars, toilet paper and paper towel dispensers in restroom do not meet requirements.(4.16.4)(4.16.6).	Install grab bars in restroom. Install toilet paper and paper towel dispensers in proper location.	To be completed by 12/31/13.
No compliant accessible route into office area of building (4.3). Ramp does not meet standards.	Remove current ramp and install compliant ramp.	To be completed by 12/31/13.

Faucets are not easily workable with one hand (4.19.5)(4.27.4).	Replace non-compliant faucets.	To be completed by 12/31/13.
Downstairs restroom and east door of training room do not meet minimum width requirements (4.13.5)(4.3). Only one entrance is wheelchair accessible (4.3).	Cut concrete walls to increase size of doors.	As funds become available.
Not all door handles can be easily maneuvered with one hand (4.13.9). Thresholds exceed height limit (4.13.8).	Replace door handles. Replace door frame.	To be completed by 12/31/13.
Building lacks handicap parking and signage as well as passenger loading zones (4.6).	Designate and mark handicap parking spaces.	Completed.

## D. Parks

### 1. Parks & Recreation Main Office



#### Summary of Facilities:

Located at 405 S. Bloomington Street, near Robe-Ann Park, the Parks & Recreation department operates from this building. There are three full-time employees and several seasonal employees that work from this location. Administration and equipment maintenance are done from this building. The public would go to this location to contact park personnel.

<i>Description</i>	<i>Work Necessary for Compliance</i>	<i>Estimated Date of Completion</i>
No designated handicap parking. (4.6). No paved parking.	Designate and mark handicap parking. Pave a 20 X 20 concrete pad for parking leading to sidewalk.	To be completed by 12/31/14.
Inadequate clear floor space in bathroom (4.22.3-7).	Reconstruct and enlarge bathroom.	As funds become available.
Door thresholds exceed maximum height (4.13.8).	Replace front and side doors.	To be completed by 12/31/13.
Door handles not easily worked with one hand (4.13.9).	Replace door handles.	To be completed by 12/31/13.
Curb ramps are too rough and uneven to be sufficiently accessible (4.7).	Replace curb ramps.	To be completed by 12/31/14.
Table in lobby exceeds maximum height (7.2).	Replace table.	Completed.
Mirrors in restroom exceed height requirements. Exposed pipes in restroom (4.19.4), (4.19.6).	Lower restroom mirrors. Install protective coverings over pipes.	Mirrors to be completed by 12/31/13. Exposed pipes: Completed.

## D. Parks

### 2. Big Walnut Sports Park



#### Summary of Facilities:

Big Walnut Sports Park is a 78.8 acre park located east of Greencastle. The park is owned, in part, by the City and in part by the Big Walnut Sports Park, Inc.; a non-profit sports organization. The park includes nine soccer fields (one lighted), three Little League Baseball diamonds, three girls' softball diamonds, one adult softball diamond, and a 1.28 mile walking pathway encircling many open grassy areas and a nine hole disc golf course. The City has spent over \$700,000.00 in recent years to pave most of the parking lots. Of the three remaining parking lots, one will be paved in 2013 by an Indiana Department of Natural Resources grant. In addition, the grant will pay for a fully accessible dog park, drinking fountains and concrete pads under the baseball dug-outs and bleachers. There are two accessible shelter buildings and an accessible playground

<i>Description</i>	<i>Work Necessary for Compliance</i>	<i>Estimated Date of Completion</i>
Storage building is not accessible. No sidewalk leading to door (4.3).	Install sidewalk to door.	To be completed by 12/31/14.
Door thresholds exceed maximum height requirement (4.13.8).	Replace doors.	To be completed by 12/31/14.
Public restroom door does not meet minimum width (4.13.5).	Reconstruct brick wall and install new door.	As funds become available.
Pipes under sinks in bathroom are exposed. (4.24.6). Grab bars missing from handicap restroom.	Install protective materials under sinks. Redesign handicap restroom and add grab bars.	Pipes: Completed. Grab bars to be completed by 12/31/13.
No paved pathway leading from public restroom/parking lot to baseball field (4.3).	Install a sidewalk and concrete pad for baseball spectators.	To be completed by 12/31/14.

## D. Parks

### 3. Jaycee Park



#### Summary of Facilities:

This 22 acre nature park provides residents with great opportunities to see wildlife and relax in a natural setting. Jaycee Park is located southeast of Greencastle on Airport Road. The main purpose of this park is outdoor recreation. Located at the park are a small pond that is accessible for fishing, wooded nature trail, pit restrooms, and two picnic shelters. For decades, the property was leased and managed by the Jaycees, a not-for-profit organization. It was turned back to the City in 2006. Due to the poor condition of the indoor community building it has been closed to the public and will be demolished.

<i>Description</i>	<i>Work Necessary for Compliance</i>	<i>Estimated Date of Completion</i>
Outdoor portable restroom is not accessible. (4.3)	Replace current portable restroom with a accessible portable restroom.	To be completed by 12/31/13.
There is no sidewalk leading to the shelter. (4.3)	Install concrete sidewalk from road to shelter.	To be completed by 12/31/14.
Park entrance road unpaved and too narrow. (4.3)	Pave and widen road and dam.	As funds become available.
The outdoor restrooms are not accessible. (4.3)	Replace restrooms.	As funds become available.
No accessible route to trail. (4.3)	Build accessible route to trail.	As funds become available.
No accessible route to pond (4.3).	Build accessible route to pond.	As funds become available.

## D. Parks

### 4. Mapleberry Park



#### Summary of Facilities:

This 1 acre park is located at the intersections of Maple and Berry Streets on the south side of Greencastle. Mapleberry Park was designed as a neighborhood park and contains a basketball court, park benches, picnic tables, a drinking fountain, and an open grassy play area.

<i>Description</i>	<i>Work Necessary for Compliance</i>	<i>Estimated Date of Completion</i>
Not all benches are accessible.	Increase sidewalk and concrete pad leading to bench area.	To be completed by 12/31/14.
Drinking fountain does not meet all ADA requirements.	Increase concrete pad around drinking fountain.	To be completed by 12/31/14.

## D. Parks

### 5. Robe-Ann Park



#### Summary of Facilities:

Located at 405 S. Bloomington Street, Robe-Ann Park is a 28-acre park centrally located in Greencastle. The park includes the Greencastle Aquatics Center, lighted softball diamond, tennis and basketball courts, skate park, Emerald Palace Playground shelter buildings and a historic log cabin. Because of Robe-Ann Park's size, it will be broken into four sections; Shelters, Tennis, Aquatic Center, and Softball. Assessments that cannot be categorized as such are listed below.

<i>Description</i>	<i>Work Necessary for Compliance</i>	<i>Estimated Date of Completion</i>
Walkways and sidewalks do not comply with ADA guidelines in terms of location, width, passing space, surface textures, and changes in levels.(4.3.2-8)	Replace sections of sidewalk that do not comply.	Ongoing, as funds become available.
Handicap parking is inadequate, improperly marked or is not in a convenient location in certain areas throughout park. (4.6.1)(4.6.3)(4.6.4)	Add handicap parking in proper location and adequately sign and mark the spaces.	To be completed by 12/31/13.

## D. Parks

### 5. Robe-Ann Park

#### a. Shelters



#### Summary of Facilities

Robe-Ann Park currently has three shelters and a band pavilion available to rent for picnics, concerts and other public activities.

<i>Description</i>	<i>Work Necessary for Compliance</i>	<i>Estimated Date of Completion</i>
No designated parking at Shelter House 1, 2, and 5 (4.6).	Designate and properly mark handicap parking	To be completed by 12/31/13.
Drinking fountain near bandshell is not accessible due to rough terrain.	Construct sidewalk and concrete pad to and around drinking fountain	As funds become available.
Accessible handicap tables not available in all shelters.	Place handicap accessible tables at all shelters	Complete.
No accessible route to Shelter House 1, 2 or 5. No accessible route to band shell or play areas.	Install a sidewalk to shelter, band shell and play area.	Shelter House 1, 2 and 5 completed.  Band shell and play area as funds become available.

## D. Parks

### 5. Robe-Ann Park

#### b. Tennis Courts



#### Summary of Facilities:

Robe-Ann Park houses five clay tennis courts. The courts are aging and currently have large cracks and do not have an accessible path from the parking area. The City has applied for a grant from the Indiana Department of Natural Resources to repair the courts and make them accessible.

<i>Description</i>	<i>Work Necessary for Compliance</i>	<i>Estimated Date of Completion</i>
Current walkway does not meet ADA requirements.	Reconstruct sidewalk from parking lot to tennis courts.	To be completed by 12/31/15.
Drinking fountain does not meet all ADA requirements.	Increase concrete pad around drinking fountain and install sidewalk from tennis courts.	To be completed by 12/31/15.

**D. Parks**  
**5. Robe-Ann Park**  
**c. Aquatic Center**



**Summary of Facilities:**

Robe Ann Park has a Aquatic Center with a full size pool, a diving board and water slide. There is a large walk-in ramp on the northeast end of the pool and the City has installed a chair lift for access. The wading pool did not meet accessibility or pool grate standards, so it has been closed. Plans have been developed to replace it with a fully accessible splash pad. The splash pad was included as part of the Indiana Department of Natural Resources grant application and is being co-sponsored by the Greencastle Civic League, a not-for-profit, philanthropic organization. The pool is open to the public and many seasonal employees are hired every year to operate the facility.

<i>Description</i>	<i>Work Necessary for Compliance</i>	<i>Estimated Date of Completion</i>
Means of entry into pool do not meet ADA requirements.	Install accessible means of entry (chairlift).	Completed.
Faucets in women's and men's bathrooms are not easily workable.	Replace faucets.	To be completed by 12/31/14.
Toilet flush controls are not in compliance.	Replace toilets/handles.	To be completed by 12/31/14.
Urinals in men's restroom exceed maximum height and flushers are not easily workable.	Replace urinals and lower height.	To be completed by 12/31/14.
Bathrooms, shower room and employee restroom not in compliance (4.23).	Replace toilet handles and lower mirrors and dispensers to proper height.	To be completed by 12/31/14.

**D. Parks**  
**5. Robe-Ann Park**  
**d. Softball Field**




**Summary of Facilities:**

Robe-Ann Park has one lighted softball field. There is a concrete pad poured for one bleacher unit with room for multiple wheelchairs.

<i>Description</i>	<i>Work Necessary for Compliance</i>	<i>Estimated Date of Completion</i>
Concession sales counter threshold exceeds height requirement (7.2)(4.32.4).	Add lower counter on west side of building.	To be completed by 12/31/13.
Concrete surface around concession stand is broken, uneven, and without accessible surface.	Construct concrete pathway from parking area and bleacher area to concession stand. Repair and expand concrete pad around concession stand.	To be completed by 12/31/14.

## E. Police Department




### Summary of Facilities:

The Greencastle Police Department is responsible for patrolling the entire City of Greencastle, Indiana. This task is carried out by the City's seventeen full-time police officers, seven reserve officers and three administrative employees. Our officers come to work everyday not only to serve and protect, but to make a difference in the lives of people who call Greencastle their home. The facility was purchased in 2002 and remodeled. There is a front counter which is open to the public. In addition, there is a training room and office areas where witness statements can be taken.

<i>Description</i>	<i>Work Necessary for Compliance</i>	<i>Estimated Date of Completion</i>
No handicap parking or signage. (4.6)	Designate and properly mark handicap parking area.	To be completed by 12/31/13.
Transition between parking lot and sidewalk is not compliant.	Repave parking lot to make parking area flush with sidewalk.	To be completed by 12/31/13.
Mirrors in restroom exceed height requirements.(4.19.6)	Move mirror to meet requirements.	Completed.
Counter in reception area exceeds height for wheelchair accessibility. (7.2)	Add lower wheelchair accessible table next to counter for filling out paperwork.	Completed.

## F. Department of Public Works




### Summary of Facilities:

The Department of Public Works is comprised of ten full time employees and one part time employee. The Department is responsible for street signs and markers in the City of Greencastle, lighted intersections, striping and lane markings on the city streets, curbs and parking spaces, parking lots, alleyways, storm drains, repairing potholes, and snow and leaf removal. There is one primary office building/garage.

<i>Description</i>	<i>Work Necessary for Compliance</i>	<i>Estimated Date of Completion</i>
Toilet height and paper dispensers do not meet standards (4.16.6)(4.19.2).	Replace toilet and dispensers.	Completed.
Service counter exceeds maximum height (7.2).	Add wheelchair accessible table next to counter.	To be completed by 12/31/12.
Threshold at front door exceeds maximum height (4.13.8).	Replace doors.	Completed.
Door handles are not easily workable with one hand (4.13.9).	Replace door handles.	Front door and bathroom door: Completed. Other doors to be completed by 12/31/12.
No designated handicap parking.	Designate handicap parking area.	Completed.

## G. Wastewater Treatment




### Summary of Facilities:

The City of Greencastle owns and operates a wastewater collections system and treatment facility that processes and treats sanitary waste for Greencastle and Fillmore Indiana. It consists of pipeline, manholes, pump stations, forced mains, and air relief valves, cleanouts, and vents. The total collections system consists of twenty miles of main sewer lines and seventeen lift stations. The operations facility was built in 1983 and the Pre-treatment Plant and maintenance building/garage were built in 2001. The department has eight full-time employees and one part-time employee who work at the facility.

<i>Description</i>	<i>Work Necessary for Compliance</i>	<i>Estimated Date of Completion</i>
Pre-treatment Plant. Doorway threshold exceeds maximum height (4.13.8).	Replace door.	To be completed by 12/31/13.
Pre-treatment Plant and Operations Plant. Pipes in bathroom are exposed (4.19.4).	Install protective coverings over pipes.	To be completed by 12/31/13.
Pretreatment Plant. Inadequate handicap parking and not properly marked (4.6).	Properly mark and sign handicap parking.	Completed.
Operation Center. Grab bars not present in	Install grab bars in restroom.	To be completed by 12/31/13.

restroom. (4.16.4)		
Operations Center. Door handles not easily workable. (4.13.9).	Replace door handles.	To be completed by 12/31/13.
Operations Center. Paper towel holders exceed maximum height (4.2.6).	Lower height of paper towel holders.	To be completed by 12/31/13.
Sinks, mirrors, toilet paper dispensers not in compliance (4.16.6)(4.19.6).	Change height of sinks, mirrors, and toilet paper dispensers.	Completed.

## H. Water Treatment



### Summary of Facilities:

Our current Greencastle water facility went into operation in July of 1997. At the present time, Greencastle and the rural water corporations use an average of 1.7 million gallons a day. Our water standpipe provides storage for 2 million gallons of treated water and an additional 100,000 gallon tank at the plant for the purpose of backwashing the gravity filters. Greencastle treats its water with chlorine for disinfection, phosphate for lead and copper control, and fluoride for the purpose of dental health. Five full-time employees work from the Wastewater Treatment Plant.

<i>Description</i>	<i>Work Necessary for Compliance</i>	<i>Estimated Date of Completion</i>
Curbs in shower are too high (4.21.7).	None. Shower is inoperable with no plans to repair.	Completed.
Door handles cannot be easily worked (4.3.19).	Replace door handles or key latching device to open position.	To be completed by 12/31/13.

### III. Ramps and Sidewalks

The Americans with Disabilities Act requires a Transition Plan for all municipalities employing 50 or more persons. A primary component of that Transition Plan for an entity that has responsibility over streets, roads, or walkways, is to include a schedule for providing curb ramps where pedestrian walks cross curbs, giving priority to walkways serving entities covered by the Act. The City of Greencastle is responsible for streets and sidewalks within the City limits; due to the volume and the unique requirements, this section has been separated from other City facilities previously described herein. This Section is divided into four subsections, addressing: 1) curb ramps; 2) sidewalks; 3) Sidewalk Cost-Share Program; 4) Pathways.

#### A. Curbs



The ADA does not specifically designate which construction standard for curb ramps must be followed. Title II gives municipalities a choice between the Uniform Federal Access Standards (UFAS) and the Americans with Disabilities Act Accessibility Guidelines (ADAAG). For purposes of this Transition Plan, the City of Greencastle has chosen to follow the ADAAG.

##### 1. Curb Ramp Standards.

Curb ramps shall be installed at all locations, including mid-block crosswalks, where they are missing and necessary for access to sidewalks. Ramps will be constructed, if physically possible, in compliance with the ADAAG standards.

##### 2. Survey of Curb Ramps.

A survey was done of all curb ramps within the City of Greencastle. There are 761 locations in the City of Greencastle that require ramps. Of the 761, 308 ramps have been installed to date. The map on the next page shows the location for each of the ramps. A complete list of all intersections is attached as Appendix E.



Under the current Administration, the City of Greencastle has made an aggressive effort to install ADA ramps and to repair unsafe sections of its sidewalks that present impediments to persons with disabilities, and the public at large. The following chart indicates the ramps and square footage of sidewalk that have been installed since 2005.

<b>Year</b>	<b>Footage</b>	<b>ADA Ramps</b>
Pre-2005		99
2005	1,283	3
2006	1,843	7
2007	2,724	16
2008	1,661	21
2009	2,769.8	14
2010	3,431	43
2011	4,826	52
2012	4,099	54
<b>Total</b>	<b>22,296</b>	<b>308</b>
<b>Remaining to Complete as of 2012</b>		<b>453</b>

### 3. Priorities for Ramp Replacement.

In creating priorities, it is the City's intent to evaluate all areas of potential deficiency, and to make structural changes where necessary. The assignment of priorities is intended to facilitate public review and address specific concerns of the local disabled community. Generally, priority is given as follows:

- a. Highest priority is given to requests from citizens with disabilities who wish to get to shopping areas, medical facilities, bus stops, transportation, and other facilities or areas to accommodate their activities of daily living. When requests come into the ADA Coordinator, the request will be documented and an evaluation for construction will be conducted with the Director of the Department of Public Works. The curb ramp will be evaluated for usability and safety in order to determine the path of travel through that intersection.
- b. Curb ramps that require reconstruction where there is a condition that may impede a path of travel to a City program or activity
- c. New curb ramps where ones do not exist, and where a curb ramp is necessary in order to provide access to a sidewalk.
- d. Curb ramps where a utility, physical barrier or other constraint exists at a location, in order to provide access to a sidewalk.
- e. Curb ramps that exist, but do not meet current federal or state standards (e.g., scoring lines, detectable warnings, slope, etc.).

General priority will be given to pedestrian high traffic areas. The City will make its best efforts to replace curb ramps in each of the four wards throughout the City.

### 4. Curb Ramp Evaluation.


In evaluating the accessibility of existing curb ramps, the following factors were considered:

- a. Is there a curb ramp?
- b. Is there a curb ramp where a sidewalk crosses a street?
- c. What type of curb ramp?
  - i. Perpendicular curb ramp
  - ii. Parallel curb ramp
  - iii. Blended transitions
- d. Is the width of the curb ramp at least 4 feet wide (excluding flares)?
- e. Are there detectable warnings properly installed where a curb ramp or blended transition connects to a street?
- f. Is the running slope greater than 5% but less than 8.3% (blended transition 5% maximum)?

- g. Is the cross slope less than 1%?
- h. Is the landing a minimum of 4 feet x 4 feet?
- i. Is the surface of the curb ramp or blended transition firm, stable, slip resistant, and clear of gratings, access covers, and other appurtenances?
- j. Is the grade break at the top and bottom of the ramp flush and not located on the surface of the curb ramp, landing, or gutter areas?
- k. Is the counter slope of the gutter or street at the foot of the curb ramp less than 5%?
- l. Is the clear space beyond the curb face at least 4' x 4'?
- m. If the curb ramp is perpendicular, is the slope of the flared sides less than 10% where a pedestrian path crosses the curb ramp or if the sides are returned, are they protected from cross travel?

### 5. Goal for Completion.

Although funding has become more and more challenging, and there is ever increasing need for each tax dollar, the City has increased the amount of money it dedicates to sidewalks and curb ramps. The goal is to spend approximately \$100,000.00-\$125,000.00 per year on sidewalk and curb construction. It is the City's goal to replace 50 curb ramps per year and to have curb ramps installed in all required locations by 2022. At that point, the City will begin replacing those ramps that have become damaged, or do not meet federal and state guidelines.



## B. Sidewalks

Although the ADA does not have the same requirements for sidewalks as it does for ramps, the City has adopted its own guidelines for evaluating the need for sidewalk repair. The sidewalk varies greatly due to age, topography, location and natural condition. Changes occur to the City's sidewalks on a daily basis as a result of tree roots, weather, soil condition and other factors.

### 1. Evaluation Criteria.

The Director of the City of Greencastle Department of Public Works and Safety refers to the following criteria in determining which sidewalks will be repaired:

- a. Is there a sidewalk at each corner?
- b. Are there at least 4 feet of continuous and unobstructed clear width of sidewalk (excluding the curb width)?
- c. If the continuous width is less than 5 feet, are there passing spaces at least every 100 feet along the sidewalk that are 5 feet wide or greater?
- d. Is the cross slope of the sidewalk less than 1%?
- e. Where the sidewalk is adjacent to the street, does the grade of the sidewalk not exceed the general grade of the street?
- f. Is the surface of the sidewalk firm, stable, and slip resistant?
- g. Are any gaps in the surface more than ½ inch?
- h. Is the sidewalk clear of grates or if there is a grate:
  - 1). are the openings no more than ½ inch wide and
  - 2). do the elongated openings run perpendicular to the direction of travel?
- i. Is the sidewalk clear of protruding objects? If there is a protruding object is:
  - 1). the leading edge of that object less than 17 inches and more than 80 inches above the ground;
  - 2). the protrusion less than 4 inches into the travel path of the sidewalk; or
  - 3). There is a barrier no more than 17 inches from the ground where the vertical clearance is less than 80 inches.



### **C. Pathways**

The City of Greencastle has a multi-use recreational trail system entitled People Pathways. 6.75 miles of the system are located within the City of Greencastle, with a trail also leading to the nearby town of Fillmore. This pathway is in addition to the miles of standard sidewalk within the City. The paths connect public spaces such as schools, parks libraries and community resources. They are used primarily by walkers, joggers and cyclists. The system is comprised of sidewalk in some areas and asphalt in others. The sidewalk portion of the pathway system falls under the sidewalk standards described above. Much of the asphalt portion of the pathway system was constructed with grants from the Indiana Department of Transportation and the Indiana Department of Natural Resources, and meets their requirements. The asphalt pathway is 8-10 feet wide and meets ADA standards, except where, due to topography, the slope may exceed standards. The map of the pathway system is attached hereto as Appendix F.

### **D. Sidewalk Improvement Program.**

In order to encourage citizen participation and stretch city funding, thereby enabling the City to repair more sidewalks, the City has developed a Sidewalk Improvement Program. It is a 50/50 sidewalk cost share program whereby citizens can submit an application to the City. The City evaluates the condition of the sidewalk described in the application, and if the sidewalk meets the program criteria, the City will repair the sidewalk. The citizen is responsible for paying one half the cost of the repair. The City sets aside \$25,000.00 per year for those citizens who are interested in participating. Any funds not used are then returned to the Local Road and Street Fund to be used on general sidewalk repairs as described above. A complete description of the program is attached hereto as Appendix G.

#### **IV. Communications.**

The City of Greencastle is committed to provide reasonable accommodations to individuals with disabilities, not just in regards to physical barriers, but also for those with sight and hearing impairments. As stated previously, the City conducts most of its public meetings in a large open meeting room in City Hall, at 1 N. Locust Street, Greencastle, Indiana. There are no steps to go up to the building or to go to the meeting room. The building is accessible with the use of an automatic door button. There is ample space in the open meeting room for multiple wheelchairs. Meetings that regularly take place in this space include: City Council; Board of Public Works and Safety; Parks and Recreation Board; Redevelopment Commission; Board of Zoning Appeals and Plan Commission meetings. City Council meetings are broadcast each month on the local public access channel and are available in people's homes.

Individuals requiring reasonable accommodations should contact the ADA Coordinator as soon as possible (at least 72 hours in advance of the meeting). The City will make all reasonable efforts to quickly respond to the request. Possible accommodations could include providing a person proficient in sign language to sign for a hearing impaired individual or providing a person to read for a sight impaired individual. The City can also provide large print documents upon request. As it can be difficult at times to find available people who are proficient in sign language, the more lead time given the City, the greater chances of success. The City is currently investigating additional electronic means to enhance accessibility, such as magnifiers and amplifiers.

The City has posted this policy on its public announcement board in the lobby of City Hall, on its website and in many public notices. Any requests, questions or concerns should be addressed to the ADA Coordinator for prompt response.

# APPENDIX A

**City of Greencastle Board of Public Works and Safety  
POLICY ON ADA COMPLIANCE**



**COMPLAINT AND  
DOCUMENTATION FORM**

This form shall be submitted to the ADA Coordinator.

Location or facility with ADA-related problem: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Nature of ADA-related problem: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Contact information for Owner of location or facility with ADA-related problem: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Name of person submitting complaint: \_\_\_\_\_

Telephone number: \_\_\_\_\_

Address: \_\_\_\_\_  
\_\_\_\_\_

For ADA-Coordinator Use:

Complaint #: \_\_\_\_\_ Date Received: \_\_\_\_\_ Date Investigated: \_\_\_\_\_

Results of Investigation: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Contact with Owner/Property Manager: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

## **APPENDIX B**

**Cemetery Department**

## A.D.A. CHECKLIST

PROJECT FORREST HILL CEMETARY  
 NAME ERNIE PHILLIPS, SUPERINTENDENT  
 ADDRESS 2181 S. CO. RD. 50 W.  
 PERMIT N/A ISSUE DATE N/A  
 DATE 5/1/06

RESTROOM	—	RESTRAUNT	—	EXTERIOR	—
TOILET	*	SERVICE LINE	—	PARKING SPACES	*
SINK	—	COUNTERS	—	PASSENGER	—
MIRROR	*	ACCESS AISLES	—	LOADING	—
MIN. AREA	*	DINING AREA	—	ZONES	*
GRAB BARS	*	TABLEWARE	—	SIGNAGE	*
SROBE	—	CONDIMENTS	—	LOCATION	—
DOORWAYS	*	CASH REGTR	—	PARKING	—
LIGHT SWITCH	—	SEATING	—	SPACES	*
HIGHT	✓	FOOD SERVICE	—	# SPACES	—
URINALS	*	AREAS	—	SIDEWALK	—
DISPENCERS	*	RAISED	—	REQUIRED WIDTH	—
FAUCETS	*	PLATFORMS	—	RAMPS	—
TOILET	—	QUIET AREAS	—	REQUIRED WIDTH	—
STALLS	—	(RESERVED)	—	REQUIRED SLOPE	—
DOOR	—			TRUNCATED DOMES	—
HANDLES	*			70% VALUE DIFF	—
				STAIRS	—
				HANDRAILS	—
				OUTDOOR COND.	—

ELEVATOR	—	CAR CONTROL	—
AUTOMATIC	—	BUTTONS	—
HALL BUTTONS	—	TACTILE	—
HALL LANTERNS	—	BRILLE	—
RAISED AND	—	VISUAL	—
BRILLE ON	—	CONTROL	—
HOISTWAY	—	INDICATORS	—
ENTRANCE	—	HEIGHT	—
REOPENING	—	LOCATION	—
DEVICE	—	CAR POSITION	—
FLOOR PLAN	—	INDICATORS	—
FLOOR SURF.	—	EMERGENCY	—
ILLUMINATION	—	COMM.	—
LEVELS	—		

## A D A CHECKLIST COMMENTS

PROJECT FORRESTHILL CEMETARY  
NAME ERNIE PHILLIPS, SUPERINTENDENT  
ADDRESS 2181 S. CO. RD. 50 W  
PERMIT # N/A ISSUED N/A  
DATE 5/1/06

### 4.3 ACCESSIBLE ROUTE

4.3.1 GENERAL. ALL WALKS, HALLS, CORRIDORS, AISLES, AND OTHER SPACES THAT ARE PART OF AN ACCESSIBLE ROUTE SHALL COMPLY WITH 4.3.

4.3.3 WIDTH. THE MINIMUM CLEAR WIDTH OF AN ACCESSIBLE ROUTE SHALL BE 36 IN CLEAR WIDTH EXCEPT AT DOORS (32 IN). IF A PERSON IN A WHEELCHAIR MUST MAKE A TURN AROUND AN OBSTRUCTION, MINIMUM CLEAR WIDTH OF THE ACCESSIBLE ROUTE SHALL BE AS SHOWN IN FIG. 7.

### 4.13 DOORS

4.13.5 CLEAR WIDTH. DOORWAYS SHALL HAVE A MINIMUM CLEAR OPENING OF 32 IN WITH DOOR OPEN 90 DEGREES, MEASURED BETWEEN THE FACE OF THE DOOR AND THE STOP (SEE FIG. 24(a), (b), (c), AND (d)). OPENINGS MORE THAN 24 IN IN DEPTH SHALL COMPLY WITH 4.2.1 AND 4.3.3. (SEE FIG. 24(e)). NONE OF THE INTERIOR DOORS AT THE TIME OF THIS INSPECTION MEETS THE REQUIREMENTS.

### 4.22 TOILET ROOMS

4.22.2 DOORS - DOES NOT COMPLY WITH 4.13

4.22.4 WATER CLOSETS - DOES NOT COMPLY WITH 4.16

4.22.5 URINALS - DOES NOT COMPLY WITH 4.18

4.22.6 LAVATORIES AND MIRRORS - MIRROR DOES NOT COMPLY WITH 4.19. LAVATORY DOES NOT COMPLY WITH 4.24.6. EXPOSED PIPES AND SURFACES OR 4.24.7 FAUCETS.

4.23.7 CONTROLS AND DISPENSERS - TOILET PAPER AND PAPER TOWEL DISPENSERS DO NOT COMPLY 4.27.



**City Hall**

## A.D.A. CHECKLIST

PROJECT CITY HALL  
 NAME NANCY MICHAEL, MAYOR  
 ADDRESS 1 NORTH LOCUST STREET  
 PERMIT N/A ISSUE DATE N/A  
 DATE 4/26/06

RESTROOM	—	RESTRAUNT	—	EXTERIOR	
TOILET	✓	SERVICE LINE	—	PARKING SPACES	✓
SINK	*	COUNTERS	—	PASSENGER	
MIRROR	✓	ACCESS AISLES	—	LOADING	
MIN. AREA	✓	DINING AREA	—	ZONES	✓
GRAB BARS	✓	TABLEWARE	—	SIGNAGE	*
SROBE	—	CONDIMENTS	—	LOCATION	
DOORWAYS	✓	CASH REGTR	—	PARKING	
LIGHT SWITCH	✓	SEATING	—	SPACES	✓
HIGHT	✓	FOOD SERVICE	—	# SPACES	✓
URINALS	*	AREAS	—	SIDEWALK	✓
DISPENCERS	*	RAISED	—	REQUIRED WIDTH	✓
FAUCETS	✓	PLATFORMS	—	RAMPS	✓
TOILET	✓	QUIET AREAS	—	REQUIRED WIDTH	✓
STALLS	—	(RESERVED)	—	REQUIRED SLOPE	✓
				TRUNCATED DOMES	—
				70% VALUE DIFF	*
				STAIRS	✓
				HANDRAILS	*
				OUTDOOR COND.	✓

ELEVATOR		CAR CONTROL	
AUTOMATIC	—	BUTTONS	—
HALL BUTTONS	—	TACTILE	—
HALL LANTERNS	—	BRAILLE	—
RAISED AND		VISUAL	—
BRAILLE ON		CONTROL	
HOISTWAY		INDICATORS	—
ENTRANCE	—	HEIGHT	—
REOPENING	—	LOCATION	—
DEVICE	—	CAR POSITION	—
FLOOR PLAN	—	INDICATORS	—
FLOOR SURF.	—	EMERGENCY	—
ILLUMINATION	—	COMM.	—
LEVELS	—		

## A D A CHECKLIST COMMENTS

PROJECT CITY HALL  
NAME NANCY MICHAEL, MAYOR  
ADDRESS 1 NORTH LOCUST STREET  
PERMIT # N/A ISSUED N/A  
DATE 4/26/06

### ADAAG CHAPTER 7

#### 7. BUSINESS, MERCANTILE AND CIVIC.

##### 7.2 SALES AND SERVICE COUNTERS, TELLER WINDOWS, INFORMATION COUNTERS

(1) IN AREAS USED FOR TRANSACTIONS WHERE COUNTERS HAVE A CASH REGISTER AND ARE PROVIDED FOR SALES OR DISTRIBUTION OF GOODS AND SERVICES TO THE PUBLIC, AT LEAST ONE OF EACH TYPE SHALL HAVE A PORTION OF THE COUNTER WHICH IS AT LEAST 36 IN. IN LENGTH WITH A MAXIMUM HEIGHT OF 36 IN ABOVE THE FINISHED FLOOR.

(2) IN AREAS USED FOR TRANSACTIONS THAT MAY NOT HAVE A CASH REGISTER BUT AT WHICH GOODS OR SERVICES ARE SOLD OR DISTRIBUTED INCLUDING, BUT NOT LIMITED TO, TICKETING COUNTERS, TELLER STATIONS, REGISTRATION COUNTERS IN TRANSIENT LODGING FACILITIES, INFORMATION COUNTERS, BOX OFFICE COUNTERS AND LIBRARY CHECK-OUT AREAS.

4.22 TOILET ROOMS - DO NOT FULLY COMPLY

##### 4.22.3 CLEAR FLOOR SPACE

4.2.3 WHEELCHAIR TURNING SPACE. THE SPACE REQUIRED FOR A WHEEL CHAIR TO MAKE A 180-DEGREE TURN IS A CLEAR SPACE OF 60 IN DIAMETER (F19.3(a)) OR A T-SHAPED SPACE. (WOMENS TOILET ROOM)

##### 4.19 LAVATORIES AND MIRRORS

4.19.4 EXPOSED PIPES AND SURFACES. HOT WATER AND DRAIN PIPES UNDER LAVATORIES SHALL BE INSULATED OR OTHERWISE COVERED. THERE SHALL BE NO SHARP OR ABRASIVE SURFACES UNDER LAVATORIES.

## A D A CHECKLIST COMMENTS

PROJECT NAME City Hall (Cont.)  
ADDRESS \_\_\_\_\_  
PERMIT # \_\_\_\_\_ ISSUED \_\_\_\_\_  
DATE \_\_\_\_\_

### 4.22 TOILET ROOMS (Cont.)

4.18.2 HEIGHT. URINALS SHALL BE STALL-TYPE OR WALL HUNG WITH AN ELONGATED RIM AT A MAXIMUM OF 17 IN ABOVE THE FLOOR. (23 3/4")

4.18.4 FLUSH CONTROLS. FLUSH CONTROLS SHALL BE HAND OPERATED OR AUTOMATIC, AND SHALL COMPLY WITH 4.27.4, AND SHALL BE MOUNTED NO MORE THAN 44 IN ABOVE THE FLOOR. (51 1/2")

### 4.6 PARKING AND PASSENGER LOADING ZONES.

4.6.4 SIGNAGE. ACCESSIBLE PARKING SPACES SHALL BE DESIGNATED AS RESERVED FOR THE DISABLED BY A SIGN SHOWING THE SYMBOL OF ACCESSIBILITY (4.30.5). SUCH SIGNS SHALL NOT BE OBSTRUCTED BY A PARKED VEHICLE PARKED IN THE SPACE.

### 4.3 ACCESSIBLE ROUTE

4.3.10 EGRESS. ACCESSIBLE ROUTES SERVING ANY ACCESSIBLE SPACE OR ELEMENT SHALL ALSO SERVE AS A MEANS OF EGRESS FOR EMERGENCIES OR CONNECT TO AN ACCESSIBLE PLACE OF REFUGE. SUCH ACCESSIBLE ROUTES AND PLACES OF REFUGE SHALL COMPLY WITH THE REQUIREMENTS OF THE ADMINISTRATIVE AUTHORITY HAVING JURISDICTION.

ADA CITY HALL

4/27/06

## RECOMMENDATIONS

### ① HANDICAP PARKING AREA.

- a. REPAINT LINES
- b. REPAINT RAMP

### ② BE PREPARED IF A PERSON WITH VISUAL IMPAIRMENT OR BLIND, REQUEST OFFICIAL CITY DOCUMENTS.

- a. LARGE PRINT
- b. BRAILLE
- c. AUDIO TAPES

### ③ PUBLIC MEETINGS, A PERSON WITH HEARING DISABILITIES OR DEAF. MIGHT REQUEST ASSISTANCE.

- a. SIGN LANGUAGE
- b. REAL TIME TEXT ON SCREEN.

**Fire Department**

# A.D.A. CHECKLIST

PROJECT GREENCASTLE FIRE DEPT.  
 NAME BILL NEWGENT, CHIEF  
 ADDRESS 107 SOUTH INDIANA STREET  
 PERMIT N/A ISSUE DATE N/A  
 DATE 4/25/04

RESTROOM	*	RESTRAUNT		EXTERIOR	
TOILET	*	SERVICE LINE	—	PARKING SPACES	*
SINK	*	COUNTERS	—	PASSENGER	
MIRROR	✓	ACCESS AISLES	—	LOADING	
MIN. AREA	*	DINING AREA	—	ZONES	—
GRAB BARS	*	TABLEWARE	—	SIGNAGE	*
SROBE	*	CONDIMENTS	—	LOCATION	
DOORWAYS	*	CASH REGTR	—	PARKING	
LIGHT SWITCH	*	SEATING	—	SPACES	*
HIGHT	✓	FOOD SERVICE	—	# SPACES	*
URINALS	—	AREAS	—	SIDEWALK	✓
DISPENCERS	—	RAISED	—	REQUIRED WIDTH	✓
FAUCETS	*	PLATFORMS	—	RAMPS	*
TOILET	*	QUIET AREAS	—	REQUIRED WIDTH	*
STALLS	—	(RESERVED)	—	REQUIRED SLOPE	*
				TRUNCATED DOMES	—
				70% VALUE DIFF	✓
				STAIRS	✓
				HANDRAILS	✓
				OUTDOOR COND.	*

ELEVATOR		CAR CONTROL	
AUTOMATIC	—	BUTTONS	—
HALL BUTTONS	—	TACTILE	—
HALL LANTERNS	—	BRAILLE	—
RAISED AND		VISUAL	
BRAILLE ON		CONTROL	
HOISTWAY		INDICATORS	
ENTRANCE		HEIGHT	
REOPENING	—	LOCATION	—
DEVICE	—	CAR POSITION	—
FLOOR PLAN	—	INDICATORS	—
FLOOR SURF.	—	EMERGENCY	—
ILLUMINATION	—	COMM.	—
LEVELS	—		

## A D A CHECKLIST COMMENTS

PROJECT GREENCASTLE FIRE DEPT.  
NAME BILL NEWGENT, CHIEF  
ADDRESS 107 S. INDIANA STREET  
PERMIT # N/A ISSUED N/A  
DATE 4/25/06

4.22 TOILET ROOMS - SHALL COMPLY WITH 4.22.1 MIN-  
IMUM NUMBER, 4.22.2 DOORS AND 4.22.3 CLEAR FLOOR  
SPACE.

### 4.16 WATER CLOSETS

4.16.3 HEIGHT. THE HEIGHT OF WATER CLOSETS SHALL BE  
17" TO 19", MEASURED FROM THE TOP OF THE TOILET  
SEAT. SEATS SHALL NOT BE SPRUNG TO RETURN TO A  
LIFTED POSITION.

4.16.4 GRAB BARS. GRAB BARS FOR WATER CLOSETS NOT  
LOCATED IN STALLS SHALL COMPLY WITH FIG 29 AND  
4.26.

### 4.19 LAVATORIES AND MIRRORS

4.19.2 HEIGHT AND CLEARANCES. LAVATORIES SHALL  
BE MOUNTED WITH THE RIM OR COUNTER SURFACE  
NO HIGHER THAN 34 IN ABOVE THE FINISHED FLOOR.  
PROVIDE A CLEARANCE OF AT LEAST 29 IN FROM  
THE FLOOR TO THE BOTTOM OF THE APRON. KNEE  
AND TOE CLEARANCE SHALL COMPLY WITH  
FIG. 32.

4.19.5 FAUCETS. FAUCETS SHALL COMPLY WITH  
4.27.4. LEVER-OPERATED, PUSH-TYPE, AND ELECTRON-  
ICALLY CONTROLLED MECHANISMS ARE EXAMPLES  
OF ACCEPTABLE DESIGNS. SELF-CLOSING VALVES  
ARE ALLOWED IF THE FAUCET REMAINS OPEN  
FOR AT LEAST 10 SECONDS.

4.16.6 DISPENSERS. TOILET PAPER DISPENSERS SHALL  
BE INSTALLED WITHIN REACH, AS SHOWN IN FIG. 29(b).  
DISPENSERS THAT CONTROL DELIVERY, OR THAT DO  
NOT PERMIT CONTINUOUS PAPER FLOW, SHALL NOT BE  
USED.

### 4.13 DOORS

4.13.5 CLEAR WIDTH. DOORWAYS SHALL HAVE A  
MINIMUM CLEAR OPENING OF 32 IN. WITH THE  
DOOR OPEN 90 DEGREES, MEASURED BETWEEN  
THE FACE OF THE DOOR AND THE STOP (SEE  
FIG. 24(a), (b), (c) AND (d)). OPENINGS MORE THAN 24 IN.

# A D A CHECKLIST COMMENTS

PROJECT GFD PAGE 2  
NAME \_\_\_\_\_  
ADDRESS \_\_\_\_\_  
PERMIT # \_\_\_\_\_ ISSUED \_\_\_\_\_  
DATE \_\_\_\_\_

CONT. FROM PAGE NO. 1

IN DEPTH SHALL COMPLY WITH 4.2.1 AND 4.3.3 (SEE FIG. 24(e)). DOWNSTAIRS RESTROOM DOOR AND EAST DOOR OF THE TRAINING ROOM DO NOT COMPLY.

4.13.8 THRESHOLDS AT DOORWAYS. THRESHOLDS AT DOORWAYS SHALL NOT EXCEED  $\frac{3}{4}$ " IN HEIGHT FOR EXTERIOR SLIDING DOORS OR  $\frac{1}{2}$  IN FOR OTHER TYPES OF DOORS. RAISED THRESHOLDS AND FLOOR LEVEL CHANGES AT ACCESSIBLE DOORWAYS SHALL BE BEVELED WITH A SLOPE NO GREATER THAN 1:2 (SEE 4.5.2).

4.13.9 DOOR HARDWARE - HANDLES, PULLS, LATCHES, LOCKS AND OTHER OPERATING DEVICES ON ACCESSIBLE DOORS SHALL HAVE A SHAPE THAT IS EASY TO GRASP WITH ONE HAND AND DOES NOT REQUIRE TIGHT GRASPING, TIGHT PINCHING, OR TWISTING OF THE WRIST TO OPERATE.

4.3 ACCESSIBLE ROUTE - AT THIS TIME 107 S. INDIANA STREET IS NOT ACCESSIBLE. THE ENGINE ROOM IS THE ONLY SECTION OF THE BUILDING THAT MEETS THE REQUIREMENTS OF TITLE II AND UNIFORM FEDERAL ACCESSIBILITY STANDARDS (UFAS). THE FRONT OF 107 S. INDIANA ST. DOES NOT COMPLY BECAUSE OF 4" TO 6" HIGH CURBING AT BOTH ENDS OF THE APRON.

4.6 PARKING AND PASSENGER LOADING ZONES. NO HANDICAP PARKING OR SIGNAGE AT THIS TIME.

**Parks and Recreation Department**

## A.D.A. CHECKLIST

PROJECT PARKS AND RECREATION DEPT.  
 NAME ROD WEINSHENK, DIRECTOR  
 ADDRESS 405 S. BLOOMINGTON ST.  
 PERMIT N/A ISSUE DATE N/A  
 DATE 6/20/06

RESTROOM	*	RESTRAUNT		EXTERIOR	
TOILET	—	SERVICE LINE	—	PARKING SPACES	*
SINK	—	COUNTERS	*	PASSENGER	
MIRROR	*	ACCESS AISLES	—	LOADING	
MIN. AREA	—	DINING AREA	*	ZONES	*
GRAB BARS	—	TABLEWARE	—	SIGNAGE	*
STROBE	—	CONDIMENTS	—	LOCATION	
DOORWAYS	—	CASH REGTR	—	PARKING	
LIGHT SWITCH	—	SEATING	*	SPACES	*
HIGHT	—	FOOD SERVICE	—	# SPACES	*
URINALS	*	AREAS	—	SIDEWALK	*
DISPENCERS	—	RAISED	—	REQUIRED WIDTH	*
FAUCETS	*	PLATFORMS	—	RAMPS	*
TOILET	—	QUIET AREAS	—	REQUIRED WIDTH	*
STALLS	—	(RESERVED)	—	REQUIRED SLOPE	*
				TRUNCATED DOMES	*
				70% VALUE DIFF	*
				STAIRS	—
				HANDRAILS	—
				OUTDOOR COND.	*

ELEVATOR		CAR CONTROL	
AUTOMATIC	—	BUTTONS	—
HALL BUTTONS	—	TACTILE	—
HALL LANTERNS	—	BRILLE	—
RAISED AND		VISUAL	—
BRILLE ON		CONTROL	
HOISTWAY		INDICATORS	—
ENTRANCE	—	HEIGHT	—
REOPENING		LOCATION	—
DEVICE	—	CAR POSITION	—
FLOOR PLAN	—	INDICATORS	—
FLOOR SURF.	—	EMERGENCY	—
ILLUMINATION	—	COMM.	—
LEVELS	—		

## A D A CHECKLIST COMMENTS

PROJECT PARKS AND RECREATION  
NAME ROD WEINSCHENK  
ADDRESS 405 S. BLOOMINGTON ST.  
PERMIT # N/A ISSUED N/A  
DATE 6/20/06

### PUBLIC RESTROOMS

#### 4.19 LAVATORIES AND MIRRORS

4.19.4 EXPOSED PIPES AND SURFACES. HOT WATER AND DRAIN PIPES UNDER LAVATORIES SHALL BE INSULATED OR OTHERWISE CONFIGURED TO PROTECT AGAINST CONTACT. THERE SHALL BE NO SHARP OR ABRASIVE SURFACES UNDER LAVATORIES.

4.19.6 MIRRORS. MIRRORS SHALL BE MOUNTED WITH THE BOTTOM EDGE OF THE REFLECTING SURFACE NO HIGHER THAN 40 IN ABOVE THE FINISHED FLOOR.

A4.19.6 APPENDIX NOTE: A FULL LENGTH MIRROR WILL MEET REQUIREMENTS.

### SHELTER HOUSES

NO. 1 AND NO. 5

#### 4.3 ACCESSIBLE ROUTE

4.3.1 GENERAL. ALL WALKS, HALLS, CORRIDORS, AISLES, SKYWALKS, TUNNELS, AND OTHER SPACES THAT ARE PART OF AN ACCESSIBLE ROUTE SHALL COMPLY WITH 4.3. SEE APPENDIX NOTE A4.3.1.

#### 4.6 PARKING AND PASSENGER LOADING ZONES.

NO DESIGNATED PARKING AVAILABLE AT THE TIME OF INSPECTION.

## A D A CHECKLIST COMMENTS

PROJECT PARKS AND RECREATION  
NAME ROD WEINSCHENK, DIRECTOR  
ADDRESS 405 S. BLOOMINGTON ST.  
PERMIT # N/A ISSUED N/A  
DATE 6/20/06

### SHELTER HOUSES (CONT.)

NO. 2

4.6.4 SIGNAGE. ACCESSIBLE PARKING SPACES SHALL BE DESIGNATED AS RESERVED BY A SIGN SHOWING THE SYMBOL OF ACCESSIBILITY. SPACES COMPLYING WITH 4.1.2(S)(6) SHALL HAVE AN ADDITIONAL SIGN "VAN-ACCESSIBLE MOUNTED BELOW THE SYMBOL OF ACCESSIBILITY. SUCH SIGNS SHALL BE LOCATED SO THEY CANNOT BE OBSCURED BY A VEHICLE PARKED IN THE SPACE. SEE APPENDIX NOTE A4.6.4.

GENERAL - NO ACCESSIBLE TABLES OBSERVED AT THE TIME OF INSPECTION.

BAND SHELL

NOT ON ACCESSIBLE ROUTE.

PLAY AREA AT BAND SHELL

NOT ON ACCESSIBLE ROUTE  
NO ACCOMODATION MADE FOR  
ELEVATION CHANGE FOR ACCESS  
TO PLAY AREA.

PLAY AREA AT SHELTER HOUSE NO. 2

SAME AS PLAY AREA AT  
BAND SHELL.

## A D A CHECKLIST COMMENTS

PROJECT PARKS AND RECREATION  
NAME ROD WEINSHENK, DIRECTOR  
ADDRESS 405 S. BLOOMINGTON ST.  
PERMIT # N/A ISSUED N/A  
DATE 6/20/06

### 4.15 DRINKING FOUNTAINS AND WATER COOLERS

DRINKING FOUNTAIN LOCATED NEXT  
TO BAND SHELL NOT ACCESSIBLE  
DUE TO ROUGH SURFACE BENEATH.  
NOT ON ACCESSIBLE ROUTE.

### CONCESSION STAND

CONCRETE SURFACE BROKEN AND  
UNEVEN. NO ACCESS TO CONCRETE  
SURFACE.

7.2 SALES AND SERVICE COUNTERS,  
TELLER WINDOWS, INFORMATION  
CENTERS. WHERE SERVICE COUNTERS  
EXCEEDING 36 IN IN HEIGHT ARE  
PROVIDED FOR STANDING SALES OR  
DISTRIBUTION OF GOODS TO THE  
PUBLIC, AN AUXILIARY COUNTER OR A  
PORTION OF THE MAIN COUNTER SHALL  
BE PROVIDED WITH A MAXIMUM HEIGHT  
OF BETWEEN 28 IN AND 34 IN ABOVE  
THE FLOOR IN COMPLIANCE WITH 4.32.4.

## A D A CHECKLIST COMMENTS

PROJECT PARKS AND RECREATION  
NAME ROD WEINSCHENK  
ADDRESS 405 S. BLOOMINGTON ST.  
PERMIT # N/A ISSUED N/A  
DATE 6/20/06

### 4.3 ACCESSIBLE ROUTE

MOST WALKS WITHIN THE PARK DO NOT COMPLY WITH 4.3

4.3.1 GENERAL. ALL WALKS, HALLS, CORRIDORS, AISLES, AND OTHER SPACES THAT ARE PART OF AN ACCESSIBLE ROUTE SHALL COMPLY WITH 4.3.

### 4.3.2 LOCATION

(1) AT LEAST ONE ACCESSIBLE ROUTE WITHIN THE BOUNDARY OF THE SITE SHALL BE PROVIDED FROM PUBLIC TRANSPORTATION STOPS, ACCESSIBLE PARKING, AND ACCESSIBLE PASSENGER LOADING ZONES, AND PUBLIC STREETS OR SIDEWALKS TO THE ACCESSIBLE BUILDING ENTRANCE THEY SERVE.

(2) AT LEAST ONE ACCESSIBLE ROUTE SHALL CONNECT ACCESSIBLE BUILDINGS, FACILITIES, ELEMENTS, AND SPACES THAT ARE ON THE SAME SITE.

(3) AT LEAST ONE ACCESSIBLE ROUTE SHALL CONNECT ACCESSIBLE BUILDING OR FACILITY ENTRANCES WITH ALL ACCESSIBLE SPACES AND ELEMENTS AND WITH ALL ACCESSIBLE DWELLING UNITS WITHIN THE BUILDING OR FACILITY.

## A D A CHECKLIST COMMENTS

PROJECT PARKS AND RECREATION  
NAME ROD WEINSHENK  
ADDRESS 405 S. BLOOMINGTON ST.  
PERMIT # N/A ISSUED N/A  
DATE 6/20/06

### 4.3.3 WIDTH

THE MINIMUM CLEAR WIDTH OF AN ACCESSIBLE ROUTE SHALL BE 36 IN CLEAR WIDTH, EXCEPT AT DOORS. IF A PERSON IN A WHEELCHAIR MUST MAKE A TURN AROUND AN OBSTRUCTION, THE MINIMUM CLEAR WIDTH OF AN ACCESSIBLE ROUTE SHALL BE AS SHOWN IN FIG 7.

### 4.3.4 PASSING SPACE <sup>ROUTE</sup>

IF AN ACCESSIBLE <sup>ROUTE</sup> HAS LESS THAN 60 IN CLEAR WIDTH, THEN PASSING SPACES AT LEAST 60" BY 60" SHALL BE LOCATED AT REASONABLE INTERVALS NOT TO EXCEED 200 FT. A T-INTERSECTION OF TWO CORRIDORS OR WALKS IS AN ACCEPTABLE PASSING PLACE.

### 4.3.6 SURFACE TEXTURES. THE SURFACE OF AN ACCESSIBLE ROUTE SHALL COMPLY WITH 4.5.

4.5.1 GENERAL. GROUND AND FLOOR SURFACES ALONG ACCESSIBLE ROUTES AND IN ACCESSIBLE ROOMS AND SPACES, INCLUDING FLOORS, WALKS, RAMPS, STAIRS, AND CURB RAMPS, SHALL BE STABLE, FIRM, SLIP-RESISTANT, AND SHALL COMPLY WITH 4.5.

## A D A CHECKLIST COMMENTS

PROJECT PARKS AND RECREATION  
NAME ROD WEINSHEIK  
ADDRESS 905 S. BLOOMINGTON ST.  
PERMIT # N/A ISSUED N/A  
DATE 6/20/06

### 4.3.8 CHANGES IN LEVELS

CHANGES IN LEVELS ALONG AN ACCESSIBLE ROUTE SHALL COMPLY WITH 4.5.2. IF AN ACCESSIBLE ROUTE HAS CHANGES IN LEVEL GREATER THAN 1/2 IN, THAN A CURB RAMP, RAMP, ELEVATOR, OR PLATFORM LIFT SHALL BE PROVIDED THAT COMPLIES WITH 4.7, 4.8, 4.10, OR 4.11, RESPECTIVELY. STAIRS SHALL NOT BE PART OF AN ACCESSIBLE ROUTE.

### 4.6 PARKING AND PASSENGER ZONES.

4.6.1 MINIMUM NUMBER. PARKING SPACES REQUIRED TO BE ACCESSIBLE BY 4.1 SHALL COMPLY WITH 4.6.2 THROUGH 4.6.4. PASSENGER LOADING ZONES REQUIRED TO BE ACCESSIBLE BY 4.1 SHALL COMPLY WITH 4.6.5 AND 4.6.6.

4.6.2 LOCATION. PARKING SPACES FOR DISABLED PEOPLE AND ACCESSIBLE PASSENGER LOADING ZONES THAT SERVE A PARTICULAR BUILDING SHALL BE THE SPACES OR ZONES LOCATED CLOSEST TO THE NEAREST ACCESSIBLE ENTRANCE ON AN ACCESSIBLE ROUTE. IN SEPERATE PARKING STRUCTURES OR LOTS THAT DO NOT SERVE A PARTICULAR BUILDING, PARKING SPACES FOR DISABLED PEOPLE SHALL BE LOCATED ON THE SHORTEST POSSIBLE CIRCULATION ROUTE TO AN ACCESSIBLE

## A D A CHECKLIST COMMENTS

PROJECT PARKS AND RECREATION  
NAME ROD WEINSHEUK  
ADDRESS 405 S. BLOOMINGTON ST.  
PERMIT # N/A ISSUED N/A  
DATE 6/20/06

### 4.6.2. (CONT.)

PEDESTRIAN ENTRANCE OF THE  
PARKING FACILITY.

### 4.6.3 PARKING SPACES.

PARKING SPACES FOR DISABLED  
PEOPLE SHALL BE AT LEAST 96 IN  
WIDE AND SHALL HAVE AN AD-  
JACENT ACCESS AISLE 60 IN  
WIDE MINIMUM. PARKING ACCESS  
AISLES SHALL BE PART OF AN  
ACCESSIBLE ROUTE TO THE BUILD-  
ING OR FACILITY ENTRANCE AND  
SHALL COMPLY WITH 4.3. TWO  
ACCESSIBLE PARKING SPACES  
MAY SHARE A COMMON ACCESS  
AISLE. PARKED VEHICLE OVER-  
HANGS SHALL NOT REDUCE THE  
CLEAR WIDTH OF AN ACCESSIBLE  
CIRCULATION ROUTE. PARKING SPACES  
AND ACCESS AISLES SHALL BE  
LEVEL WITH . . . SURFACE SLOPES  
NOT EXCEEDING 1:50 IN ALL  
DIRECTIONS.

EXCEPTION. IF ACCESSIBLE PARKING  
SPACES FOR VANS DESIGNED FOR  
HANDICAPPED PERSONS ARE PRO-  
VIDED, EACH SHOULD HAVE AN  
ADJACENT ACCESS AISLE AT  
LEAST 96 IN WIDE COMPLYING  
WITH 4.5. GROUND AND FLOOR  
SURFACES.

### 4.6.4 SIGNAGE SEE PAGE NO. 2.

## A D A CHECKLIST COMMENTS

PROJECT PARKS AND RECREATION  
NAME ROD WEINSHEK  
ADDRESS 405 S. BLOMINGTON ST.  
PERMIT # N/A ISSUED N/A  
DATE 6/20/06

### CITY PARK OFFICE

#### 4.6 PARKING AND PASSENGER LOADING ZONES:

NO DESIGNATED HANDICAPPED PARKING  
OBSERVED AT THE TIME OF IN-  
SPECTION.

#### 4.19.6 MIRRORS SEE PAGE NO. 1

4.22.3 CLEAR FLOOR SPACE. THE ACCESSIBLE  
FIXTURES AND CONTROLS REQUIRED  
IN 4.22.4, 4.22.5, 4.22.6, AND 4.22.7  
SHALL BE ON AN ACCESSIBLE ROUTE.  
AN UNOBSTRUCTED TURNING SPACE  
COMPLYING 4.2.3. SHALL BE PRO-  
VIDED WITHIN AN ACCESSIBLE TOILET  
ROOM. THE CLEAR FLOOR SPACE AT  
FIXTURES AND CONTROLS, THE  
ACCESSIBLE ROUTE, AND TURNING  
SPACE MAY OVERLAP.

EXCEPTION: IN TOILET ROOMS WITH ONLY  
ONE WATER CLOSET AND ONE LAV-  
ATORY, A CLEAR FLOOR SPACE OF  
30 IN BY 60 IN MAY BE USED IN  
LIEU OF THE UNOBSTRUCTED TURNING  
SPACE.

#### 4.13 DOORS

4.13.8 THRESHOLDS AT DOORWAYS. THRESHOLDS AT  
DOORWAYS SHALL NOT EXCEED 3/4 IN IN  
HEIGHT FOR EXTERIOR SLIDING DOORS  
OR 1/2 IN FOR OTHER TYPES OF DOORS.  
RAISED THRESHOLDS AND FLOOR LEVEL  
CHANGES AT ACCESSIBLE DOORWAYS  
SHALL BE BEVELED WITH A SLOPE NO

## A D A CHECKLIST COMMENTS

PROJECT PARKS AND RECREATION  
NAME ROD WEINSHENK  
ADDRESS 405 S. BLOOMINGTON ST  
PERMIT # N/A ISSUED N/A  
DATE 6/20/06

### 4.13.8 (CONT.)

GREATER THAN 1:2 (SEE 4.5.2).

### 4.13.9 DOOR HARDWARE

HANDLES, PULLS, LATCHES, LOCKS, AND OTHER OPERATING DEVICES ON ACCESSIBLE DOORS SHALL HAVE A SHAPE THAT IS EASY TO GRASP WITH ONE HAND AND DOES NOT REQUIRE TIGHT GRASPING, TIGHT PINCHING, OR TWISTING OF THE WRIST TO OPERATE. LEVER-OPERATED MECHANISMS, PUSH-TYPE MECHANISMS, AND U-SHAPED HANDLES ARE ACCEPTABLE DESIGNS. MOUNT NO HARDWARE REQUIRED FOR ACCESSIBLE DOOR PASSAGE HIGHER THAN 48 IN ABOVE FINISHED FLOOR.

### 15.6 PLAY AREAS

DUE TO THE COMPLEX NATURE OF THIS SECTION, A MORE THOROUGH INSPECTION IS RECOMMENDED. SEE ATTACHED INFORMATION ON GROUND SURFACE COMPLIANCE.

## A D A CHECKLIST COMMENTS

PROJECT PARKS AND RECREATION  
NAME ROD WEINSHEK  
ADDRESS 405 S. BLOOMINGTON ST.  
PERMIT # N/A ISSUED N/A  
DATE 6/21/06

### CITY PARK POOL AND POOL AREA

#### 15.8 SWIMMING POOLS, WADING POOLS, AND SPAS.

15.8.2 SWIMMING POOLS. AT LEAST TWO ACCESSIBLE MEANS OF ENTRY SHALL BE PROVIDED FOR EACH PUBLIC USE AND COMMON USE SWIMMING POOL. THE PRIMARY MEANS OF ENTRY SHALL COMPLY WITH 15.8.5 (SWIMMING POOL LIFTS) OR 15.8.6 (SLOPED ENTRIES). THE SECONDARY MEANS OF ENTRY SHALL COMPLY WITH ONE OF THE FOLLOWING: 15.8.5 (SWIMMING POOL LIFTS), 15.8.6 (SLOPED ENTRIES), 15.8.7 (TRANSFER WALLS), 15.8.8 (TRANSFER SYSTEMS) OR 15.8.9 (POOL STAIRS)  
APPENDIX NOTE: A 15.8.2

EXCEPTION NO. 1: WHERE A SWIMMING POOL HAS LESS THAN 300 LINEAR FEET OF SWIMMING POOL WALL, AT LEAST ONE ACCESSIBLE MEANS OF ENTRY SHALL BE PROVIDED AND SHALL COMPLY WITH 15.8.5 (SWIMMING POOL LIFTS) OR 15.8.6 (SLOPED ENTRIES)

15.8.3 WADING POOLS. AT LEAST ONE ACCESSIBLE MEANS OF ENTRY COMPLYING WITH 15.8.6 (SLOPED ENTRIES) SHALL BE PROVIDED FOR EACH WADING POOL.

## A D A CHECKLIST COMMENTS

PROJECT PARKS AND RECREATION  
NAME ROD WEINSHENK  
ADDRESS 405 S. BLOOMINGTON ST.  
PERMIT # N/A ISSUED N/A  
DATE 6/21/06

RESTROOM, SHOWER, LOCKER, AND  
CHANGING FACILITIES.

LADIES AND MEN

4.19.5 FAUCETS. FAUCETS SHALL COMPLY  
WITH 4.27.4. LEVER-OPERATED,  
PUSH-TYPE, AND ELECTRONICALLY  
CONTROLLED MECHANISMS ARE  
EXAMPLES OF ACCEPTABLE  
DESIGNS. IF SELF-CLOSING VALVES  
ARE USED THE FAUCET SHALL RE-  
MAIN OPEN FOR AT LEAST 10 SEC-  
ONDS.

4.35 DRESSING, FITTING, AND LOCKER ROOMS.  
NOT IN COMPLIANCE

4.18 URINALS

4.18.4 FLUSH CONTROLS. FLUSH CONTROLS  
SHALL BE HAND OPERATED OR  
AUTOMATIC, AND SHALL COMPLY  
WITH 4.27.4, AND SHALL BE MOUNTED  
NO MORE THAN 44 IN ABOVE THE  
FLOOR.

EMPLOYEE RESTROOM

4.23 BATHROOMS, BATHING FACILITIES, AND  
SHOWER ROOMS.  
NOT IN COMPLIANCE.

## A D A CHECKLIST COMMENTS

PROJECT PARKS AND RECREATION  
NAME ROD WEINSHENK  
ADDRESS 405 S. BLOOMINGTON ST.  
PERMIT # N/A ISSUED N/A  
DATE 6/21/06

### CONCESSION AREA

7.2 SALES AND SERVICE COUNTERS  
SEE PAGE 3.

ONE ACCESSIBLE TABLE OBSERVED  
AT TIME OF INSPECTION.

CONCESSION STAND NOT ACCESSIBLE  
FOR HANDICAPPED EMPLOYEE.  
4.13.8 THRESHOLDS AT DOORWAYS  
4.13.9 DOOR HARDWARE.

### LOBBY AREA

FRONT COUNTER  
7.2 SALES AND SERVICE COUNTERS  
SEE PAGE 3.

ACCESSIBLE PARKING  
TWO SPACES PROVIDED

4.6.4 SIGNAGE  
SEE PAGE 2.

4.7 CURB RAMPS  
ROUGH AND UNEVEN SURFACE  
CHANGE IN ELEVATION AT  
TRANSITION POINT BETWEEN  
RAMP AND WALKING SURFACE.

## A D A CHECKLIST COMMENTS

PROJECT PARKS AND RECREATION  
NAME ROD WEINSHENK  
ADDRESS 405 S. BLOOMINGTON ST  
PERMIT # N/A ISSUED N/A  
DATE 6/27/06

### RECOMMENDATION:

- ① THE GUIDELINES QUOTED HERE FOR THE MOST PART ARE BASED ON ADULT NEEDS. GUIDELINES FOR CHILDREN SHOULD BE LOOKED INTO IN DEPTH.
- ② SOME OF THE ITEMS THAT ARE NON-COMPLIANT MAY REQUIRE THE PROFESSIONAL SERVICES OF AN ARCHITECT.

**Police Department**

### A.D.A. CHECKLIST

PROJECT GREENCASTLE POLICE DEPT.  
 NAME TOM SUTHERLIN, CHIEF  
 ADDRESS 600 NORTH JACKSON STREET  
 PERMIT N/A ISSUE DATE N/A  
 DATE 5/1/06

RESTROOM	✓	RESTRAUNT		EXTERIOR	
TOILET	✓	SERVICE LINE	—	PARKING SPACES	*
SINK	✓	COUNTERS	—	PASSENGER	
MIRROR	*✓	ACCESS AISLES	—	LOADING	
MIN. AREA	✓	DINING AREA	—	ZONES	*
GRAB BARS	✓	TABLEWARE	—	SIGNAGE	*
SROBE	✓	CONDIMENTS	—	LOCATION	
DOORWAYS	✓	CASH REGTR	—	PARKING	
LIGHT SWITCH	✓	SEATING	—	SPACES	*
HIGHT	✓	FOOD SERVICE	—	# SPACES	*
URINALS	✓	AREAS	—	SIDEWALK	
DISPENSERS	✓	RAISED	—	REQUIRED WIDTH	
FAUCETS	✓	PLATFORMS	—	RAMPS	
TOILET	✓	QUIET AREAS	—	REQUIRED WIDTH	
STALLS	✓	(RESERVED)	—	REQUIRED SLOPE	
				TRUNCATED DOMES	
				70% VALUE DIFF	
				STAIRS	
				HANDRAILS	
				OUTDOOR COND.	*

ELEVATOR		CAR CONTROL	
AUTOMATIC	—	BUTTONS	—
HALL BUTTONS	—	TACTILE	—
HALL LANTERNS	—	BRAILLE	—
RAISED AND		VISUAL	
BRAILLE ON		CONTROL	
HOISTWAY		INDICATORS	—
ENTRANCE	—	HEIGHT	—
REOPENING		LOCATION	—
DEVICE	—	CAR POSITION	—
FLOOR PLAN	—	INDICATORS	—
FLOOR SURF.	—	EMERGENCY	
ILLUMINATION		COMM.	—
LEVELS	—		

## A D A CHECKLIST COMMENTS

PROJECT GREENCASTLE Police Dept.  
NAME TOM SUTHERLIN, CHIEF  
ADDRESS 600 NORTH JACKSON ST.  
PERMIT # N/A ISSUED N/A  
DATE 7/12/06

4.6 PARKING AND PASSENGER LOADING ZONES.  
NO HANDICAP PARKING OR SIGNAGE AT  
THIS TIME.

4.19.6 MIRRORS SHALL BE MOUNTED WITH THE  
BOTTOM EDGE OF THE REFLECTIVE  
SURFACE NO HIGHER THAN 40 INCHES  
FROM THE FLOOR.

A 4.19.6 MIRRORS - IF MIRRORS ARE TO BE USED BY  
BOTH AMBULATORY PEOPLE AND WHEEL-  
CHAIR USERS, THEN THEN THEY MUST  
BE AT LEAST 74 INCHES HIGH AT  
THEIR TOP MOST EDGE. A SINGLE  
FULL LENGTH MIRROR CAN ACCOMMODATE  
ALL PEOPLE, INCLUDING CHILDREN.

7.2 MERCANTILE - SERVICE COUNTERS. WHERE  
SERVICE COUNTERS EXCEEDING 36 IN.  
IN HEIGHT ARE PROVIDED FOR STANDING  
SALES OR DISTRIBUTION OF GOODS TO  
THE PUBLIC, AN AUXILIARY COUNTER OR  
A PORTION OF THE MAIN COUNTER SHALL  
BE PROVIDED WITH A MAXIMUM HEIGHT  
OF BETWEEN 28 IN. TO 34 IN. ABOVE  
THE FLOOR IN COMPLIANCE WITH 4.32.4.

4.2 SPACE ALLOWANCE AND REACH RANGES.

4.2.5 FORWARD REACH. IF THE CLEAR FLOOR  
SPACE ONLY ALLOWS FORWARD APPROACH  
TO AN OBJECT, THE MAXIMUM HIGH  
FORWARD REACH ALLOWED SHALL BE  
48 IN. THE MINIMUM LOW FORWARD  
REACH IS 15 IN. IF THE HIGH FORWARD  
REACH IS OVER AN OBSTRUCTION,  
REACH AND CLEARANCES SHALL BE  
AS SHOWN IN FIG. 5(b).

## A D A CHECKLIST COMMENTS

PROJECT GREENCASTLE POLICE DEPT.  
NAME TOM SUTHERLIN, CHIEF  
ADDRESS 600 NORTH JACKSON STREET  
PERMIT # \_\_\_\_\_ ISSUED \_\_\_\_\_  
DATE 7/12/06

4.2.6 SIDE REACH. IF THE CLEAR FLOOR SPACE ALLOWS PARALLEL APPROACH BY A PERSON IN A WHEELCHAIR, THE MAXIMUM HIGH SIDE REACH ALLOWED SHALL BE 54 IN. AND THE LOW REACH SHALL BE NO LESS THAN 9 IN. ABOVE THE FLOOR (FIG. 6(a) AND (b)). IF THE SIDE REACH IS OVER AN OBSTRUCTION, THE REACH AND CLEARANCES SHALL BE AS SHOWN IN FIG. 6(c).

### RECOMENDATIONS

THE BREAK ROOM / KITCHEN AREA BE MADE ACCESSIBLE FOR EMPLOYEES THAT MIGHT BE DISABLED. SOME THRESHOLDS WILL NEED TO BE REPLACED ALSO.

**Department of Public Works and Safety**

## A D A CHECKLIST COMMENTS

PROJECT GREENCASTLE STREET DEPT.  
NAME PAUL WILSON, STREET COMMISSIONER  
ADDRESS 502 NORTH COLLEGE ST.  
PERMIT # N/A ISSUED N/A  
DATE 4/27/06

### 4.16 WATER CLOSET

4.16.3 HEIGHT. THE HEIGHT OF WATER CLOSETS SHALL BE 17 IN TO 19 IN, MEASURED TO THE TOP OF THE TOILET SEAT (FIG. 29(b)). SEATS SHALL NOT BE SPRUNG TO RETURN TO A LIFTED POSITION.

4.16.6 DISPENSERS. TOILET PAPER DISPENSERS SHALL BE INSTALLED WITHIN REACH, AS SHOWN IN FIG. 29(b). DISPENSERS THAT CONTROL DELIVERY, OR DO NOT PERMIT CONTINUOUS PAPER FLOW, SHALL NOT BE USED.

### 4.19 LAVATORIES AND MIRRORS

4.19.2 HEIGHT AND CLEARANCES. LAVATORIES SHALL BE MOUNTED WITH THE RIM OR COUNTER SURFACE NO HIGHER THAN 34 IN ABOVE THE FINISHED FLOOR. PROVIDE A CLEARANCE OF AT LEAST 29 IN FROM THE FLOOR TO THE BOTTOM OF THE APRON. KNEE AND TOE CLEARANCE SHALL COMPLY WITH FIG. 31. NO LAVATORY ONLY A DEEP SINK AT THIS TIME.

### 7.2 SALES AND SERVICE COUNTERS, TELLER WINDOWS, INFORMATION COUNTERS.

(2) IN AREAS USED FOR TRANSACTIONS THAT MAY NOT HAVE A CASH REGISTER BUT AT WHICH GOODS AND SERVICES ARE SOLD OR DISTRIBUTED INCLUDING, BUT NOT LIMITED TO, TICKETING COUNTER, TELLER STATION, REGISTRATION COUNTERS, IN TRANSIENT LODGING FACILITIES, INFORMATION COUNTERS, BOX OFFICE COUNTERS, AND LIBRARY CHECK-OUT AREAS, EITHER:

(i) A PORTION OF THE MAIN COUNTER WHICH IS A MINIMUM OF 36 IN IN LENGTH SHALL BE PROVIDED WITH A MAXIMUM HEIGHT OF 36 IN, OR

## A.D.A. CHECKLIST

PROJECT GREENCASTLE STREET DEPT.  
 NAME PAUL WILSON, STREET COMMISSIONER  
 ADDRESS 502 NORTH COLLEGE STREET  
 PERMIT N/A ISSUE DATE N/A  
 DATE 4/27/06

RESTROOM	—	RESTRAUNT	—	EXTERIOR	
TOILET	* —	SERVICE LINE	—	PARKING SPACES	*
SINK	* —	COUNTERS	—	PASSENGER	
MIRROR	✓ —	ACCESS AISLES	—	LOADING	
MIN. AREA	✓ —	DINING AREA	—	ZONES	*
GRAB BARS	✓ —	TABLEWARE	—	SIGNAGE	*
SROBE	—	CONDIMENTS	—	LOCATION	
DOORWAYS	✓ —	CASH REGTR	—	PARKING	
LIGHT SWITCH	—	SEATING	—	SPACES	*
HIGHT	✓ —	FOOD SERVICE	—	# SPACES	*
URINALS	—	AREAS	—	SIDEWALK	✓ —
DISPENCERS	* —	RAISED	—	REQUIRED WIDTH	✓ —
FAUCETS	* —	PLATFORMS	—	RAMPS	✓ —
TOILET	* —	QUIET AREAS	—	REQUIRED WIDTH	✓ —
STALLS	✓ —	(RESERVED)	—	REQUIRED SLOPE	✓ —
				TRUNCATED DOMES	—
				70% VALUE DIFF	—
				STAIRS	—
				HANDRAILS	—
				OUTDOOR COND.	✓ —

ELEVATOR		CAR CONTROL	
AUTOMATIC	—	BUTTONS	—
HALL BUTTONS	—	TACTILE	—
HALL LANTERNS	—	BRAILLE	—
RAISED AND		VISUAL	—
BRAILLE ON		CONTROL	
HOISTWAY		INDICATORS	—
ENTRANCE	—	HEIGHT	—
REOPENING	—	LOCATION	—
DEVICE	—	CAR POSITION	—
FLOOR PLAN	—	INDICATORS	—
FLOOR SURF.	—	EMERGENCY	—
ILLUMINATION	—	COMM.	—
LEVELS	—		

## A D A CHECKLIST COMMENTS

PROJECT NAME GSD (CONT.)  
ADDRESS \_\_\_\_\_  
PERMIT # \_\_\_\_\_ ISSUED \_\_\_\_\_  
DATE \_\_\_\_\_

(ii) AN AUXILIARY COUNTER WITH A MAXIMUM HEIGHT OF 36 IN IN CLOSE PROXIMITY TO THE MAIN COUNTER SHALL BE PROVIDED; OR

(iii) EQUIVALENT FACILITATION SHALL BE PROVIDED (e.g., AT A HOTEL REGISTRATION COUNTER, EQUIVALENT MIGHT CONSIST OF: (1) PROVISION OF A FOLDING SHELF ATTACHED TO THE MAIN COUNTER ON WHICH A INDIVIDUAL WITH A DISABILITY CAN WRITE, AND (2) USE OF THE SPACE ON THE SIDE OF THE COUNTER OR AT THE CONCIERGE DESK, FOR HANDING MATERIAL BACK AND FORTH.

### 4.13 DOORS

4.13.8 THRESHOLDS AT DOORWAYS. SHALL NOT EXCEED  $\frac{3}{4}$  IN IN HEIGHT FOR EXTERIOR SLIDING DOORS OR  $\frac{1}{2}$  IN FOR OTHER TYPES OF DOORS. RAISED THRESHOLDS AND FLOOR LEVEL CHANGES AT ACCESSIBLE DOORWAYS SHALL BE BEVELED WITH A SLOPE NO GREATER 1:2

4.13.9 DOOR HARDWARE, HANDLES, PULLS, CATCHES, LOCKS, AND OTHER OPERATING DEVICES ON ACCESSIBLE DOORS SHALL HAVE A SHAPE THAT IS EASY TO GRASP WITH ONE HAND AND DOES NOT REQUIRE TIGHT GRASPING, TIGHT PINCHING OR TWISTING OF THE WRIST TO OPERATE. LEVER-OPERATED MECHANISMS, PUSH-TYPE MECHANISMS, AND U SHAPED HANDLES ARE ACCEPTABLE DESIGNS.

4.6 PARKING AND PASSENGER LOADING ZONES. AT THE TIME OF THIS INSPECTION NO DESIGNATED PARKING WAS AVAILABLE.

**Wastewater Treatment Department**

## A.D.A. CHECKLIST

PROJECT WWTP Re-Treatment Building  
 NAME Mike Neese, Superintendent  
 ADDRESS 510 WEST Columbia Street  
 PERMIT N/A ISSUE DATE N/A  
 DATE 4/21/06

RESTROOM		RESTAUNT		EXTERIOR	
TOILET	✓	SERVICE LINE	—	PARKING SPACES	*
SINK	*✓	COUNTERS	—	PASSENGER	
MIRROR	✓	ACCESS AISLES	—	LOADING	
MIN. AREA	✓	DINING AREA	—	ZONES	*
GRAB BARS	✓	TABLEWARE	—	SIGNAGE	*
SROBE	✓	CONDIMENTS	—	LOCATION	
DOORWAYS	✓	CASH REGTR	—	PARKING	
LIGHT SWITCH	✓	SEATING	—	SPACES	*
HIGHT	✓	FOOD SERVICE	—	# SPACES	*
URINALS	✓	AREAS	—	SIDEWALK	✓
DISPENCERS	✓	RAISED	—	REQUIRED WIDTH	✓
FAUCETS	✓	PLATFORMS	—	RAMPS	✓
TOILET	✓	QUIET AREAS	—	REQUIRED WIDTH	✓
STALLS	✓	(RESERVED)	—	REQUIRED SLOPE	✓
				TRUNCATED DOMES	✓
				70% VALUE DIFF	✓
				STAIRS	✓
				HANDRAILS	✓
				OUTDOOR COND.	✓

ELEVATOR		CAR CONTROL	
AUTOMATIC	—	BUTTONS	—
HALL BUTTONS	—	TACTILE	—
HALL LANTERNS	—	BRAILLE	—
RAISED AND	—	VISUAL	—
BRAILLE ON	—	CONTROL	—
HOISTWAY	—	INDICATORS	—
ENTRANCE	—	HEIGHT	—
REOPENING	—	LOCATION	—
DEVICE	—	CAR POSITION	—
FLOOR PLAN	—	INDICATORS	—
FLOOR SURF.	—	EMERGENCY	—
ILLUMINATION	—	COMM.	—
LEVELS	—		

## A D A CHECKLIST COMMENTS

PROJECT WWTTP PRE-TREATMENT BUILDING  
NAME MIKE NEESE, SUPERINTENDENT  
ADDRESS 510 WEST COLUMBIA STREET  
PERMIT # N/A ISSUED N/A  
DATE 4/21/06

4.13.8 THRESHOLDS AT DOORWAYS. SHALL NOT EXCEED 3/4 IN. IN HEIGHT FOR EXTERIOR SLIDING DOORS OR 1/2" FOR OTHER TYPES OF DOORS. RAISED THRESHOLDS AND FLOOR LEVEL CHANGES AT ACCESSIBLE DOORWAYS SHALL BE BEVELED WITH A SLOPE NO GREATER THAN 1:2 (SEE 4.S.2).

4.19.4 EXPOSED PIPES AND SURFACE. HOT WATER AND DRAIN PIPES UNDER LAVATORIES SHALL BE INSULATED OR OTHERWISE COVERED. THERE SHALL BE NO SHARP OR ABRASIVE SURFACES UNDER LAVATORIES.

4.6 PARKING AND PASSENGER LOADING ZONES.  
4.6.1 MINIMUM NUMBER. SHALL COMPLY WITH 4.1 - 1 TO 25 EMPLOYEES OR VISITORS = 1 PARKING SPACE

4.6.2 - LOCATION - CLOSEST TO ACCESSIBLE ROUGHT.

4.6.3 - PARKING SPACES. PARKING SPACES FOR DISABLED PEOPLE SHALL BE AT LEAST 96 IN. WIDE AND SHALL AN ACCESS AISLE 60 IN. WIDE MINIMUM.

4.6.4 SIGNAGE - ACCESSIBLE PARKING SPACES SHALL BE DESIGNATED AS RESERVED FOR THE DISABLED BY A SIGN SHOWING THE SYMBOL OF ACCESSIBILITY. SUCH SIGNS SHALL NOT BE OBSCURED BY A VEHICLE PARKED IN THE SPACE.

## A.D.A. CHECKLIST

PROJECT WWTTP OPERATIONS CENTER  
 NAME MIKE NEESE, SUPERINTENDENT  
 ADDRESS 510 WEST COLUMBIA STREET  
 PERMIT N/A ISSUE DATE N/A  
 DATE 4/21/06

RESTROOM	✓	RESTRAUNT		EXTERIOR	
TOILET	✓	SERVICE LINE	—	PARKING SPACES	✓
SINK	*✓	COUNTERS	—	PASSENGER	
MIRROR	*✓	ACCESS AISLES	—	LOADING	
MIN. AREA	✓	DINING AREA	—	ZONES	✓
GRAB BARS	*✓	TABLEWARE	—	SIGNAGE	✓
SROBE		CONDIMENTS	—	LOCATION	
DOORWAYS	✓	CASH REGTR	—	PARKING	
LIGHT SWITCH	✓	SEATING	—	SPACES	
HIGHT		FOOD SERVICE	—	# SPACES	✓
URINALS		AREAS	—	SIDEWALK	✓
DISPENCERS	*✓	RAISED	—	REQUIRED WIDTH	✓
FAUCETS	✓	PLATFORMS	—	RAMPS	
TOILET		QUIET AREAS	—	REQUIRED WIDTH	
STALLS		(RESERVED)	—	REQUIRED SLOPE	
				TRUNCATED DOMES	
				70% VALUE DIFF	
				STAIRS	
				HANDRAILS	
				OUTDOOR COND.	✓

ELEVATOR		CAR CONTROL	
AUTOMATIC	—	BUTTONS	—
HALL BUTTONS	—	TACTILE	—
HALL LANTERNS	—	BRAILLE	—
RAISED AND		VISUAL	—
BRAILLE ON		CONTROL	—
HOISTWAY		INDICATORS	—
ENTRANCE	—	HEIGHT	—
REOPENING		LOCATION	—
DEVICE	—	CAR POSITION	—
FLOOR PLAN	—	INDICATORS	—
FLOOR SURF.	—	EMERGENCY	—
ILLUMINATION	—	COMM.	—
LEVELS	—		

## A D A CHECKLIST COMMENTS

PROJECT WWTP OPERATION CENTER  
NAME MIKE NEESE, SUPERINTENDENT  
ADDRESS 510 WEST COLUMBIA STREET  
PERMIT # N/A  
~~BOE~~  
DATE 4/21/06

### 4.19 LAVATORIES AND MIRRORS

4.19.6 - MIRRORS SHALL BE MOUNTED WITH THE BOTTOM EDGE OF THE REFLECTIVE SURFACE NO HIGHER THAN 40" FROM THE FLOOR.

4.16.4 - GRAB BARS FOR WATER CLOSETS NOT LOCATED IN STALLS SHALL COMPLY WITH FIG. 29 AND 4.26.

4.16.6 - DISPENSERS - TOILET PAPER DISPENSERS SHALL BE INSTALLED WITHIN REACH, AS SHOWN IN FIG. 29 (b). DISPENSERS THAT CONTROL DELIVERY, OR THAT DO NOT PERMIT CONTINUOUS PAPER FLOW, SHALL NOT BE USED.

4.13.9 DOOR HARDWARE. HANDLES, PULLS, LATCHES, LOCKS AND OTHER OPERATING DEVICES ON ACCESSIBLE DOORS HAVE A SHAPE THAT IS EASY TO GRASP WITH ONE HAND AND DOES NOT REQUIRE TIGHT GRASPING, TIGHT PINCHING, OR TWISTING OF THE WRIST TO OPERATE.

4.2.6 SIDE REACH. IF THE CLEAR FLOOR SPACE ALLOWS PARALLEL APPROACH BY A PERSON IN A WHEEL CHAIR, THE MAXIMUM HIGH SIDE REACH ALLOWED SHALL BE 54 IN. AND THE LOW SIDE REACH SHALL BE NO LESS THAN 9 IN. ABOVE THE FLOOR. (TOWEL HOLDER)

4.1.2.(15) UFAS SIGNAGE (RESTROOM)

4.19.4 EXPOSED PIPES AND SURFACE. HOT WATER AND DRAIN PIPES UNDER LAVATORIES SHALL BE INSULATED OR OTHERWISE COVERED. THERE SHALL BE NO SHARP OR ABRASIVE SURFACES UNDER LAVATORIES.

**Water Department**

## A.D.A. CHECKLIST

PROJECT GREENCASTLE WATER TREATMENT PLANT  
 NAME TERRY DALE, SUPERINTENDENT  
 ADDRESS 409 N. CO. RD. 75 W.  
 PERMIT N/A ISSUE DATE N/A  
 DATE 5/1/06

RESTROOM	<input checked="" type="checkbox"/>	RESTRAUNT	EXTERIOR	
TOILET	<input checked="" type="checkbox"/>	SERVICE LINE	PARKING SPACES	*
SINK	<input checked="" type="checkbox"/>	COUNTERS	PASSENGER	
MIRROR	<input checked="" type="checkbox"/>	ACCESS AISLES	LOADING	
MIN. AREA	<input checked="" type="checkbox"/>	DINING AREA	ZONES	*
GRAB BARS	<input checked="" type="checkbox"/>	TABLEWARE	SIGNAGE	*
SROBE	<input type="checkbox"/>	CONDIMENTS	LOCATION	
DOORWAYS	<input checked="" type="checkbox"/>	CASH REGTR	PARKING	
LIGHT SWITCH	<input checked="" type="checkbox"/>	SEATING	SPACES	*
HIGHT	<input checked="" type="checkbox"/>	FOOD SERVICE	# SPACES	*
URINALS	<input checked="" type="checkbox"/>	AREAS	SIDEWALK	<input checked="" type="checkbox"/>
DISPENCERS	<input checked="" type="checkbox"/>	RAISED	REQUIRED WIDTH	<input checked="" type="checkbox"/>
FAUCETS	<input checked="" type="checkbox"/>	PLATFORMS	RAMPS	<input checked="" type="checkbox"/>
TOILET	<input checked="" type="checkbox"/>	QUIET AREAS	REQUIRED WIDTH	<input checked="" type="checkbox"/>
STALLS	<input checked="" type="checkbox"/>	(RESERVED)	REQUIRED SLOPE	<input type="checkbox"/>
DRINKING	<input checked="" type="checkbox"/>		TRUNCATED DOMES	<input type="checkbox"/>
FOUNTAIN	<input checked="" type="checkbox"/>		70% VALUE DIFF	<input type="checkbox"/>
DOOR	<input checked="" type="checkbox"/>		STAIRS	<input type="checkbox"/>
HANDLES	*		HANDRAILS	<input type="checkbox"/>
			OUTDOOR COND.	<input checked="" type="checkbox"/>
ELEVATOR		CAR CONTROL		
AUTOMATIC	<input type="checkbox"/>	BUTTONS		
HALL BUTTONS	<input type="checkbox"/>	TACTILE		
HALL LANTERNS	<input type="checkbox"/>	BRILLE		
RAISED AND		VISUAL		
BRILLE ON		CONTROL		
HOISTWAY		INDICATORS		
ENTRANCE	<input type="checkbox"/>	HEIGHT		
REOPENING	<input type="checkbox"/>	LOCATION		
DEVICE	<input type="checkbox"/>	CAR POSITION		
FLOOR PLAN	<input type="checkbox"/>	INDICATORS		
FLOOR SURF.	<input type="checkbox"/>	EMERGENCY		
ILLUMINATION	<input type="checkbox"/>	COMM.		
LEVELS	<input type="checkbox"/>			

## A D A CHECKLIST COMMENTS

PROJECT GREENCASTLE WATER TREATMENT PLANT  
NAME TERRY DALE, SUPERINTENDENT  
ADDRESS 409 N. CO. RD. 75 W.  
PERMIT # N/A ISSUED N/A  
DATE 5/1/06

### 4.21 SHOWER STALLS

4.21.7 CURBS. IF PROVIDED, CURBS IN SHOWER STALLS 36 IN BY 36 IN SHALL BE NO HIGHER THAN 1/2 IN. SHOWER STALLS THAT ARE 30 IN BY 60 IN SHALL NOT HAVE CURBS.

### 4.13 DOORS





4.13.9 DOOR HARDWARE. HANDLES, PULLS, LATCHES, LOCKS, AND OTHER OPERATING DEVICES ON ACCESSIBLE DOORS SHALL HAVE A SHAPE THAT IS EASY TO GRASP WITH ONE HAND AND DOES NOT REQUIRE TIGHT GRASPING, TIGHT PINCHING, OR TWISTING OF THE WRIST TO OPERATE.

NOTE: THE EXTERIOR DOORS ARE EQUIPPED WITH PANIC HARDWARE. IF THE LATCHING DEVICE CAN BE KEYPED OPEN SO THE DOOR DOES NOT LATCH, THEN THE ACCESSIBLE ROUTE WILL BE IN COMPLIANCE.


NOTE: THE SHOWER STALL ISSUE NEEDS DEFINING. THE INTERIOR CURB DOES MEET STANDARDS. THE EXTERIOR CURB IS IN QUESTION. DOES IT NEED TO BE 1/2 IN IF THE DISABLED PERSON CAN TRANSFER WITHOUT GOING INTO THE STALL?



## **APPENDIX C**

# City Hall




**Fire Department**







**Police Department**








Department of Public Works





# City Parks & Recreation Office








# Big Walnut Sports Park





# Robe-Ann Shelters





# Robe-Ann Tennis Courts






# Robe-Ann Aquatic Center











# Robe-Ann Softball Field and Stands



Wastewater Treatment






# Jaycee Park






Maple Berry Park






# Forest Hill Cemetery







# Water Treatment



## **APPENDIX D**



RECEIVED  
MAY 27 2011  
BY: \_\_\_\_\_

May 25, 2011

To Whom It May Concern:

Enclosed is the report of our observations at your facility, along with some information regarding assistive technology which may be of interest to you as you continue to provide accessibility for your residents. Please note that this material does not constitute a recommendation or an endorsement from The WILL Center, but is provided for informational purposes only.

Please feel free to ask any questions you may have about these findings. Contact information for us via telephone and e-mail is listed below. As we said during our visit, we will be providing a copy of our reports to ADA Indiana to fulfill the requirements of our grant.

Thank you for your cooperation with our effort, and please feel free to use us as a resource in your continued support of Americans with disabilities.

Sincerely,

Peter C. Ciancone  
Executive Director  
(812) 298-9455 x204  
petecinc@thewillcenter.org

Danny Grissom  
Independent Living Coordinator  
(812) 298-9455 x202  
d.grissom@thewillcenter.org

## **ADA Indiana**

### **Accessing Local Government Programs in Accordance with the Americans with Disabilities Act**

On May 10, 2011, Mr. Peter Ciancone and Danny Grissom from The Wabash Independent Living Learning Center visited Greencastle, Indiana (Putman County). The main purpose of the visit was to introduce ourselves and to provide information about The WILL Center. We also wanted to inform the government officials that The WILL Center had receive a grant from ADA Indiana. We explain that our main objective is to work directly in cooperation with city and county officials to assure that people with disabilities have full and complete access to programs.

We first visited the Putman County Courthouse where we met with Commissioner Gene Beck. Mr. Beck was very respectful and was willing to discuss some of the concerns that he has with the Courthouse. As we first approached the courthouse, we notice that there was very limited number of parking spaces that were accessible. The slope of the ramp to the entrance did not meet ADA standards. At the east entrance, there were double doors which could make it difficult to open. Once inside the courthouse, one could see that a great deal of effort had been made to comply with ADA regulations. The south side doors did have an automatic opener. The restrooms were fully accessible with signs on the door. All public offices had doors at least 32 inches and room for a wheelchair. All had high counter tops that were not accessible, however there were tables available. There was no materials available in large print the customers with visual impairment, nor were there any type of devices for the hearing impaired.

Based upon our evaluation, the following is recommended: 1.) increase the number of accessible parking spaces, 2.) Lengthen ramp to decrease slope or reconfigure ramp. 3.) replace double entrance doors with one door at least 32 inches wide and/or install automatic opener, and 4.) Provide accommodations for the visual and hearing impaired.

Mr. Beck then took us on a tour of the Courthouse Annex Building which is located in an closed public school building that was built in 1954. It should be noted that due to the age and the condition of the building, it is Mr. Beck hope that the building will be replace with a new one. Accessible parking was available, however the entrance doors did not meet ADA standards as they was less than 32 wide. They were very heavy and did not have automatic openers. The hallways was wide, however since the building was built on a hillside there are very long slopes throughout the building. The restrooms did not meet ADA standards. Many of the doors inside the building are not 32 inches wide. There are several public offices in the Annex Building.

Based upon our tour of the Courthouse Annex Building, the following is recommended: 1.) to widen the entrance door and install an automatic door opener, 2.) to make at least one restroom fully accessible and install signs and 3.) to relocate the current public offices towards the front entrance of the building that is on level ground.

Mr. Ciancone and I then met with the mayor of Greencastle, Ms. Sue Murray and her staff to tour city hall. The city hall is a former financial institution that for the most part is ADA accessible. There is accessible parking and since the building is at ground level, there are no ramps or steps. The entrance door had an automatic opener and was 32 inches wide. The mayor's office and her staff is located on the second floor in which there is no elevator available. However, there is a large meeting area and offices available for the mayor and staff to meet with individuals who may not be able to use the stairs. The counter in the lobby was not meet ADA standards, but there was a table provided for those who could not stand at the counter. The stalls in the restrooms did not meet ADA standards as they were not large enough for a wheelchair.

Based upon the results of the tour of Greencastle City Hall, the following is recommended : 1.) to make at least one restroom fully accessible and 2.) to provide accommodations for the visual and hearing impaired.

## **APPENDIX E**

**City Sidewalks that need ADA Ramps**

<b>FID</b>	<b>CgX</b>	<b>CgY</b>	<b>Date Modified</b>	<b>Street Corner</b>	<b>Route</b>	<b>Intersecting Route</b>
0	3013257	1602338	6/4/2012	Southwest	Jacob St	Johnson St
1	3013300	1602328	6/4/2012	Southeast	Jacob St	Johnson St
2	3013542	1602384	6/4/2012	Northwest	Jacob St	Madison St
3	3013542	1602336	6/4/2012	Southwest	Jacob St	Madison St
	3013600	1602384	6/4/2012	Northeast	Jacob St	Madison St
5	3013600	1602336	6/4/2012	Southeast	Jacob St	Madison St
6	3013073	1601934	6/4/2012	Northeast	Liberty St	Gillespie St
7	3013078	1601869	6/4/2012	Southeast	Liberty St	Gillespie St
8	3013540	1601934	6/4/2012	Northwest	Liberty St	Madison St
9	3013252	1601932	6/4/2012	Northwest	Liberty St	Johnson St
10	3013300	1601927	6/4/2012	Northeast	Liberty St	Johnson St
11	3013610	1601929	6/4/2012	Northeast	Liberty St	Madison St
12	3013595	1601878	6/4/2012	Southeast	Liberty St	Madison St
13	3013078	1601392	6/4/2012	Northeast	Franklin St	Gillespie St
14	3013075	1601119	6/4/2012	Northeast	Gillespie St	Washington St
15	3013547	1601119	6/4/2012	Northwest	Washington St	Madison St
16	3013605	1601119	6/4/2012	Northeast	Washington St	Madison St
17	3013547	1601061	6/4/2012	Southwest	Washington St	Madison St
18	3013090	1601063	6/4/2012	Southeast	Washington St	Gillespie St
19	3013092	1601114	6/4/2012	Northeast	Washington St	Gillespie St
20	3013073	1600792	6/4/2012	Southeast	Walnut St	Gillespie St
21	3013544	1600841	6/4/2012	Northwest	Walnut St	Madison St
22	3013607	1600843	6/4/2012	Northeast	Walnut St	Madison St
23	3013549	1600792	6/4/2012	Southwest	Walnut St	Madison St
24	3013607	1600584	6/4/2012	Northeast	Poplar St	Madison St
25	3013605	1600531	6/4/2012	Southeast	Poplar St	Madison St
26	3013607	1600325	6/4/2012	Northeast	Seminary St	Madison St
27	3013605	1600272	6/4/2012	Southeast	Seminary St	Madison St
28	3013607	1600064	6/4/2012	Northeast	Madison St	Hill St
29	3013607	1600008	6/4/2012	Southeast	Madison St	Hill St
30	3013356	1597701	6/4/2012	Northeast	Jackson St	Beveridge St
31	3013312	1597643	6/4/2012	Southeast	Jackson St	Beveridge St
32	3012986	1597127	6/4/2012	Northeast	Jackson St	Berry St
33	3013765	1597125	6/4/2012	Northwest	Berry St	Green Acre Ln
34	3013806	1597127	6/4/2012	Northeast	Berry St	Green Acre Ln
35	3013811	1597379	6/4/2012	Northeast	Highland St	Green Acre Ln
36	3013806	1597326	6/4/2012	Southeast	Highland St	Green Acre Ln
37	3012645	1596614	6/4/2012	Southeast	Jackson St	Sunset Dr
38	3014347	1603192	6/4/2012	Southwest	Shadowlawn Ave	Indiana St
39	3014350	1602873	6/4/2012	Northwest	Indiana St	New York St
40	3014353	1602835	6/4/2012	Southwest	Indiana St	New York St
41	3014354	1602573	6/4/2012	Northwest	Indiana St	Daggy St
42	3014353	1602528	6/4/2012	Southwest	Indiana St	Daggy St
43	3014115	1602872	6/4/2012	Northeast	Jackson St	New York St
44	3014120	1602834	6/4/2012	Southeast	Jackson St	New York St
45	3014066	1602873	6/4/2012	Northwest	Jackson St	New York St
46	3014066	1602837	6/4/2012	Southwest	Jackson St	New York St
47	3014068	1602755	6/4/2012	Northwest	Jackson St	Green St
48	3013849	1602755	6/4/2012	Northeast	Green St	Monon St
49	3014068	1602718	6/4/2012	Southwest	Jackson St	Green St
50	3014067	1602566	6/4/2012	Northwest	Jackson St	Daggy St
51	3014071	1602526	6/4/2012	Southwest	Jackson St	Daggy St
52	3014127	1602569	6/4/2012	Northeast	Jackson St	Daggy St
53	3014123	1602528	6/4/2012	Southeast	Jackson St	Daggy St
54	3014072	1602378	6/4/2012	Northwest	Jackson St	Jacob St
55	3014076	1602337	6/4/2012	Southwest	Jackson St	Jacob St
56	3014121	1602375	6/4/2012	Northeast	Jackson St	Jacob St
57	3014127	1602337	6/4/2012	Southeast	Jackson St	Jacob St
58	3014355	1602379	6/4/2012	Northwest	Indiana St	Jacob St

**City Sidewalks that need ADA Ramps**

<b>FID</b>	<b>CgX</b>	<b>CgY</b>	<b>Date Modified</b>	<b>Street Corner</b>	<b>Route</b>	<b>Intersecting Route</b>
59	3014355	1602340	6/4/2012	Southwest	Indiana St	Jacob St
60	3014893	1602333	6/4/2012	Southwest	College Ave	Jacob St
61	3013546	1601610	6/4/2012	Southwest	Columbia St	Madison St
62	3013597	1601608	6/4/2012	Southeast	Columbia St	Madison St
63	3013818	1601606	6/4/2012	Southwest	Columbia St	Market St
64	3013873	1601610	6/4/2012	Southeast	Columbia St	Market St
65	3013807	1601873	6/4/2012	Southwest	Liberty St	Market St
66	3013871	1601877	6/4/2012	Southeast	Liberty St	Market St
67	3014136	1601922	6/4/2012	Northeast	Jackson St	Liberty St
68	3014130	1601880	6/4/2012	Southeast	Jackson St	Liberty St
69	3014078	1601875	6/4/2012	Southwest	Jackson St	Liberty St
70	3014074	1601659	6/4/2012	Northwest	Jackson St	Columbia St
71	3014134	1601663	6/4/2012	Northeast	Jackson St	Columbia St
72	3014141	1601610	6/4/2012	Southeast	Jackson St	Columbia St
73	3014353	1601664	6/4/2012	Northwest	Indiana St	Columbia St
74	3014353	1601614	6/4/2012	Southwest	Indiana St	Columbia St
75	3014417	1601661	6/4/2012	Northeast	Indiana St	Columbia St
76	3014359	1601882	6/4/2012	Southwest	Indiana St	Liberty St
77	3014413	1601880	6/4/2012	Southeast	Indiana St	Liberty St
78	3014408	1601924	6/4/2012	Northeast	Indiana St	Liberty St
79	3014631	1601614	6/4/2012	Southwest	Columbia St	Vine St
80	3014682	1601614	6/4/2012	Southeast	Columbia St	Vine St
81	3014900	1601615	6/4/2012	Southwest	College Ave	Columbia St
82	3014896	1601673	6/4/2012	Northwest	College Ave	Columbia St
83	3014633	1601882	6/4/2012	Southwest	Liberty St	Vine St
84	3014640	1601922	6/4/2012	Northwest	Liberty St	Vine St
85	3014682	1601918	6/4/2012	Northeast	Liberty St	Vine St
86	3014680	1601875	6/4/2012	Southeast	Liberty St	Vine St
87	3014898	1601918	6/4/2012	Northwest	College Ave	Liberty St
88	3014682	1601403	6/4/2012	Northeast	Franklin St	Vine St
89	3014636	1601399	6/4/2012	Northwest	Franklin St	Vine St
90	3014638	1601345	6/4/2012	Southwest	Franklin St	Vine St
91	3014401	1601343	6/4/2012	Southeast	Franklin St	Indiana St
92	3014344	1601383	6/4/2012	Northwest	Franklin St	Indiana St
93	3014689	1601120	6/4/2012	Northeast	Washington St	Vine St
94	3014635	1601127	6/4/2012	Northwest	Washington St	Vine St
95	3014691	1601067	6/4/2012	Southeast	Washington St	Vine St
96	3014631	1601071	6/4/2012	Southwest	Washington St	Vine St
97	3014901	1601124	6/4/2012	Northwest	Washington St	College Ave
98	3014901	1601071	6/4/2012	Southwest	Washington St	College Ave
99	3014402	1601129	6/4/2012	Northeast	Washington St	Indiana St
100	3013863	1601116	6/4/2012	Northeast	Washington St	Market St
101	3013863	1601069	6/4/2012	Southeast	Washington St	Market St
102	3013817	1601119	6/4/2012	Northwest	Washington St	Market St
103	3013808	1601067	6/4/2012	Southwest	Washington St	Market St
104	3013811	1600845	6/4/2012	Northwest	Walnut St	Market St
105	3013866	1600845	6/4/2012	Northeast	Walnut St	Market St
106	3013862	1600795	6/4/2012	Southeast	Walnut St	Market St
107	3014086	1600846	6/4/2012	Northwest	Jackson St	Walnut St
108	3014147	1600845	6/4/2012	Northeast	Jackson St	Walnut St
109	3014087	1600797	6/4/2012	Southwest	Jackson St	Walnut St
110	3014143	1600800	6/4/2012	Southeast	Jackson St	Walnut St
111	3014359	1600845	6/4/2012	Northwest	Indiana St	Walnut St
112	3014359	1600798	6/4/2012	Southwest	Indiana St	Walnut St
113	3014416	1600851	6/4/2012	Northeast	Indiana St	Walnut St
114	3014635	1600854	6/4/2012	Northwest	Walnut St	Vine St
115	3014687	1600798	6/4/2012	Southeast	Walnut St	Vine St
116	3014902	1600848	6/4/2012	Northwest	Walnut St	College Ave
117	3014901	1600803	6/4/2012	Southwest	Walnut St	College Ave

**City Sidewalks that need ADA Ramps**

<b>FID</b>	<b>CgX</b>	<b>CgY</b>	<b>Date Modified</b>	<b>Street Corner</b>	<b>Route</b>	<b>Intersecting Route</b>
118	3014899	1600588	6/4/2012	Northwest	Poplar St	College Ave
119	3014904	1600543	6/4/2012	Southwest	College Ave	Poplar St
120	3014690	1600583	6/4/2012	Northeast	Poplar St	Vine St
121	3014687	1600540	6/4/2012	Southeast	Poplar St	Vine St
	3014417	1600585	6/4/2012	Northeast	Poplar St	Indiana St
123	3014364	1600585	6/4/2012	Northwest	Indiana St	Poplar St
124	3013820	1600582	6/4/2012	Northwest	Poplar St	Market St
125	3013819	1600536	6/4/2012	Southwest	Poplar St	Market St
126	3013868	1600536	6/4/2012	Southeast	Poplar St	Market St
127	3013822	1600314	6/5/2012	Northwest	Seminary St	Market St
128	3013868	1600320	6/5/2012	Northeast	Seminary St	Market St
129	3013822	1600274	6/5/2012	Southwest	Seminary St	Market St
130	3013868	1600270	6/5/2012	Southeast	Seminary St	Market St
131	3013816	1600063	6/5/2012	Northwest	Market St	Hill St
132	3014087	1600065	6/5/2012	Northwest	Jackson St	Hill St
133	3014091	1600015	6/5/2012	Southwest	Jackson St	Hill St
134	3014146	1600015	6/5/2012	Southeast	Jackson St	Hill St
135	3014365	1600019	6/5/2012	Southwest	Indiana St	Hill St
136	3014091	1600332	6/5/2012	Northwest	Jackson St	Seminary St
137	3014077	1600320	6/5/2012	Northwest	Seminary St	Jackson St
138	3014357	1600322	6/5/2012	Northwest	Indiana St	Seminary St
139	3014423	1600322	6/5/2012	Northeast	Indiana St	Seminary St
140	3014361	1600274	6/5/2012	Southwest	Indiana St	Seminary St
141	3014421	1600272	6/5/2012	Southeast	Indiana St	Seminary St
142	3014638	1600324	6/5/2012	Northwest	Seminary St	Vine St
143	3014636	1600274	6/5/2012	Southwest	Seminary St	Vine St
144	3014690	1600328	6/5/2012	Northeast	Seminary St	Vine St
145	3014692	1600272	6/5/2012	Southeast	Seminary St	Vine St
	3014901	1600324	6/5/2012	Northwest	Seminary St	College Ave
	3014142	1599733	6/5/2012	Northeast	Jackson St	Larabee St
148	3014144	1599687	6/5/2012	Southeast	Jackson St	Larabee St
149	3014361	1599731	6/5/2012	Northwest	Indiana St	Larabee St
150	3014361	1599689	6/5/2012	Southwest	Indiana St	Larabee St
151	3014419	1599735	6/5/2012	Northeast	Indiana St	Larabee St
152	3014423	1599685	6/5/2012	Southeast	Indiana St	Larabee St
153	3014885	1599759	6/5/2012	North	Larabee St	Cul-de-sac
154	3014917	1599761	6/5/2012	North	Larabee St	Cul-de-sac
155	3014923	1599699	6/5/2012	South	Larabee St	Cul-de-sac
156	3014138	1599337	6/5/2012	Northeast	Jackson St	Hanna St
157	3014425	1599323	6/5/2012	Northeast	Indiana St	Hanna St
158	3014421	1599273	6/5/2012	Southeast	Indiana St	Hanna St
159	3014367	1599271	6/5/2012	Southwest	Indiana St	Hanna St
160	3014349	1598666	6/5/2012	Northeast	Indiana St	Olive St
161	3014298	1598658	6/5/2012	Northwest	Indiana St	Olive St
162	3014298	1598614	6/5/2012	Southwest	Indiana St	Olive St
163	3014912	1598661	6/5/2012	Northwest	College Ave	Olive St
164	3014297	1597078	6/5/2012	Southwest	Indiana St	Berry St
165	3014306	1598258	6/5/2012	Northwest	Indiana St	Park St
166	3014342	1598261	6/5/2012	Northeast	Indiana St	Park St
167	3014303	1598216	6/5/2012	Southwest	Indiana St	Park St
168	3014340	1598214	6/5/2012	Southeast	Indiana St	Park St
169	3014625	1598216	6/5/2012	Southwest	Park St	Lincoln Ave
170	3014657	1598222	6/5/2012	Southeast	Park St	Lincoln Ave
	3014913	1598256	6/5/2012	Northwest	College Ave	Park St
172	3014913	1598219	6/5/2012	Southwest	College Ave	Park St
173	3014304	1597875	6/5/2012	Northwest	Indiana St	Pine St
174	3014345	1597878	6/5/2012	Northeast	Indiana St	Pine St
175	3014342	1597847	6/5/2012	Southeast	Indiana St	Pine St
176	3014306	1597847	6/5/2012	Southwest	Indiana St	Pine St

**City Sidewalks that need ADA Ramps**

<b>FID</b>	<b>CgX</b>	<b>CgY</b>	<b>Date Modified</b>	<b>Street Corner</b>	<b>Route</b>	<b>Intersecting Route</b>
177	3014913	1597880	6/5/2012	Northwest	College Ave	Pine St
178	3014918	1597847	6/5/2012	Southwest	College Ave	Pine St
179	3014303	1597698	6/5/2012	Northwest	Indiana St	Beveridge St
180	3014306	1597656	6/5/2012	Southwest	Indiana St	Beveridge St
	3014306	1597374	6/5/2012	Northwest	Indiana St	Highland St
182	3014307	1597335	6/5/2012	Southwest	Indiana St	Highland St
183	3014307	1597119	6/5/2012	Northwest	Indiana St	Berry St
184	3014343	1597119	6/5/2012	Northeast	Indiana St	Berry St
185	3015426	1602894	6/5/2012	West	Melrose Ave	Shadowlawn Ave
186	3014947	1601918	6/5/2012	Northeast	College Ave	Liberty St
187	3014945	1601875	6/5/2012	Southeast	College Ave	Liberty St
188	3014945	1601399	6/5/2012	Northeast	College Ave	Franklin St
189	3014947	1601349	6/5/2012	Southeast	College Ave	Franklin St
190	3015424	1601401	6/5/2012	Northwest	Franklin St	Locust St
191	3015482	1601401	6/5/2012	Northeast	Franklin St	Locust St
192	3014947	1601071	6/5/2012	Southeast	Washington St	College Ave
193	3015160	1601130	6/5/2012	Northwest	Washington St	Spring St
194	3015209	1601124	6/5/2012	Northeast	Washington St	Spring St
195	3015160	1601069	6/5/2012	Southwest	Washington St	Spring St
196	3015211	1601073	6/5/2012	Southeast	Washington St	Spring St
197	3015430	1601128	6/5/2012	Northwest	Locust St	Washington St
198	3015428	1601069	6/5/2012	Southwest	Locust St	Washington St
199	3015490	1601128	6/5/2012	Northeast	Washington St	Locust St
200	3016133	1601403	6/5/2012	Northwest	Franklin St	Paradise Ln
201	3016199	1601401	6/5/2012	Northeast	Franklin St	Paradise Ln
202	3015164	1600850	6/5/2012	Northwest	Walnut St	Spring St
203	3015162	1600800	6/5/2012	Southwest	Walnut St	Spring St
204	3015213	1600848	6/5/2012	Northeast	Walnut St	Spring St
	3015211	1600804	6/5/2012	Southeast	Walnut St	Spring St
	3015428	1600846	6/5/2012	Northwest	Walnut St	Locust St
207	3015426	1600802	6/5/2012	Southwest	Walnut St	Locust St
208	3015478	1600822	6/5/2012	Northeast	Walnut St	Locust St
209	3015480	1600774	6/5/2012	Southeast	Walnut St	Locust St
210	3015785	1600774	6/5/2012	Southwest	Walnut St	Taylor Pl
211	3015828	1600780	6/5/2012	Southeast	Walnut St	Taylor Pl
212	3015791	1600328	6/5/2012	Northwest	Seminary St	Taylor Pl
213	3014943	1600334	6/5/2012	Northeast	College Ave	Seminary St
214	3014959	1600320	6/5/2012	Northeast	Seminary St	College Ave
215	3014941	1600597	6/5/2012	Northeast	College Ave	Poplar St
216	3014947	1600587	6/5/2012	Northeast	Poplar St	College Ave
217	3014945	1600535	6/5/2012	Southeast	College Ave	Poplar St
218	3014951	1600551	6/5/2012	Southeast	Poplar St	College Ave
219	3015166	1600599	6/5/2012	Northwest	Spring St	Poplar St
220	3015158	1600585	6/5/2012	Northwest	Poplar St	Spring St
221	3015156	1600547	6/5/2012	Southwest	Poplar St	Spring St
222	3015170	1600533	6/5/2012	Southwest	Spring St	Poplar St
223	3015211	1600599	6/5/2012	Northeast	Spring St	Poplar St
224	3015225	1600587	6/5/2012	Northeast	Poplar St	Spring St
225	3015217	1600549	6/5/2012	Southeast	Poplar St	Spring St
226	3015205	1600529	6/5/2012	Southeast	Spring St	Poplar St
227	3015428	1600591	6/5/2012	Northwest	Locust St	Poplar St
228	3015426	1600543	6/5/2012	Southwest	Locust St	Poplar St
229	3015166	1600332	6/5/2012	Northwest	Spring St	Seminary St
	3015166	1600318	6/5/2012	Northwest	Seminary St	Spring St
231	3015205	1600334	6/5/2012	Northeast	Spring St	Seminary St
232	3015213	1600318	6/5/2012	Northeast	Seminary St	Spring St
233	3015168	1600274	6/5/2012	Southwest	Seminary St	Spring St
234	3015181	1600270	6/5/2012	Southwest	Spring St	Seminary St
235	3015221	1600282	6/5/2012	Southeast	Seminary St	Spring St

**City Sidewalks that need ADA Ramps**

<b>FID</b>	<b>CgX</b>	<b>CgY</b>	<b>Date Modified</b>	<b>Street Corner</b>	<b>Route</b>	<b>Intersecting Route</b>
236	3015209	1600264	6/5/2012	Southeast	Spring St	Seminary St
237	3015484	1600326	6/5/2012	Northeast	Seminary St	Locust St
238	3015430	1600336	6/5/2012	Northwest	Locust St	Seminary St
239	3015416	1600322	6/5/2012	Northwest	Seminary St	Locust St
	3015416	1600278	6/5/2012	Southwest	Seminary St	Locust St
241	3015432	1600264	6/5/2012	Southwest	Locust St	Seminary St
242	3015426	1599797	6/5/2012	Northwest	Locust St	Anderson St
243	3015426	1599745	6/5/2012	Southwest	Locust St	Anderson St
244	3015486	1599813	6/5/2012	Northeast	Locust St	Anderson St
245	3015498	1599797	6/5/2012	Northeast	Anderson St	Locust St
246	3015498	1599745	6/5/2012	Southeast	Anderson St	Locust St
247	3015480	1599735	6/5/2012	Southeast	Locust St	Anderson St
248	3014913	1599323	6/5/2012	Northwest	College Ave	Hanna St
249	3014909	1599275	6/5/2012	Southwest	College Ave	Hanna St
250	3014953	1599323	6/5/2012	Northeast	College Ave	Hanna St
251	3014953	1599271	6/5/2012	Southeast	College Ave	Hanna St
252	3015426	1599327	6/5/2012	Northwest	Locust St	Hanna St
253	3015484	1599311	6/5/2012	Northeast	Locust St	Hanna St
254	3015488	1599259	6/5/2012	Southeast	Locust St	Hanna St
255	3015665	1599257	6/5/2012	Southwest	Hanna St	Central St
256	3015707	1599263	6/5/2012	Southeast	Hanna St	Central St
257	3016079	1599263	6/5/2012	Southwest	Hanna St	Crown St
258	3016129	1599267	6/5/2012	Southeast	Hanna St	Crown St
259	3015709	1598873	6/5/2012	Southeast	Elm St	Central St
260	3016075	1598871	6/5/2012	Southwest	Elm St	Crown St
261	3015823	1598921	6/5/2012	North	Elm St	Central St
262	3015895	1598927	6/5/2012	North	Elm St	Central St
263	3015953	1598874	6/5/2012	South	Elm St	Crown St
	3016004	1598876	6/5/2012	South	Elm St	Crown St
	3015436	1598616	6/5/2012	Southwest	Locust St	Olive St
266	3015492	1598674	6/5/2012	Northeast	Locust St	Olive St
267	3015492	1598621	6/5/2012	Southeast	Locust St	Olive St
268	3015492	1598205	6/5/2012	Northeast	Locust St	Howard St
269	3015661	1598202	6/5/2012	Northwest	Howard St	Central St
270	3015712	1598207	6/5/2012	Northeast	Howard St	Central St
271	3016075	1598205	6/5/2012	Northwest	Crown St	Howard St
272	3016075	1598154	6/5/2012	Southwest	Crown St	Howard St
273	3016134	1598202	6/5/2012	Northeast	Crown St	Howard St
274	3016129	1598154	6/5/2012	Southeast	Crown St	Howard St
275	3016139	1598489	6/5/2012	Southeast	Crown St	Apple St
276	3016073	1598491	6/5/2012	Southwest	Crown St	Apple St
277	3016134	1598542	6/5/2012	Northeast	Crown St	Apple St
278	3016073	1598539	6/5/2012	Northwest	Crown St	Apple St
279	3015441	1597905	6/5/2012	West	Locust St	Ohio St
280	3015444	1597841	6/5/2012	West	Locust St	Ohio St
281	3015510	1597852	6/5/2012	Northeast	Locust St	Ohio St
282	3015508	1597793	6/5/2012	Southeast	Locust St	Ohio St
283	3015447	1597732	6/5/2012	West	Locust St	Ohio St
284	3015447	1597666	6/5/2012	West	Locust St	Ohio St
285	3015521	1597494	6/5/2012	Northeast	Locust St	Sycamore St
286	3015516	1597446	6/5/2012	Southeast	Locust St	Sycamore St
287	3016137	1597499	6/5/2012	Northeast	Crown St	Sycamore St
288	3016137	1597448	6/5/2012	Southeast	Crown St	Sycamore St
	3016078	1597446	6/5/2012	Southwest	Crown St	Sycamore St
290	3016075	1597849	6/5/2012	Northwest	Crown St	Ohio St
291	3016070	1597799	6/5/2012	Southwest	Crown St	Ohio St
292	3015521	1597130	6/5/2012	Northeast	Locust St	Berry St
293	3015460	1597125	6/5/2012	Northwest	Locust St	Berry St
294	3015452	1597072	6/5/2012	Southwest	Locust St	Berry St

**City Sidewalks that need ADA Ramps**

<b>FID</b>	<b>CgX</b>	<b>CgY</b>	<b>Date Modified</b>	<b>Street Corner</b>	<b>Route</b>	<b>Intersecting Route</b>
295	3016075	1597119	6/5/2012	Northwest	Crown St	Berry St
296	3016134	1597125	6/5/2012	Northeast	Crown St	Berry St
297	3015720	1596862	6/5/2012	Northeast	V.M.H.	Putnamville St
298	3015723	1596766	6/5/2012	Southeast	V.M.H.	Cemetery Rd
	3015720	1596602	6/5/2012	Northeast	Keightly Rd	Seminary St
300	3014966	1597072	6/5/2012	Southeast	College Ave	Berry St
301	3014910	1597077	6/5/2012	Southwest	College Ave	Berry St
302	3017336	1604465	6/5/2012	Northwest	Tacoma Dr	Arlington Ave
303	3017241	1603629	6/5/2012	Northwest	Arlington Ave	Cameron Dr
304	3017018	1603623	6/5/2012	Northeast	Cameron Dr	Ritter Ave
305	3016956	1603621	6/5/2012	Northwest	Cameron Dr	Ritter Ave
306	3016841	1603605	6/5/2012	Northeast	Cameron Dr	Linwood Dr
307	3016789	1603595	6/5/2012	Northwest	Cameron Dr	Linwood Dr
308	3016729	1603776	6/5/2012	West	Linwood Dr	Cameron Dr
309	3016711	1603840	6/5/2012	West	Linwood Dr	Cameron Dr
310	3016687	1603903	6/5/2012	West	Linwood Dr	Cameron Dr
311	3016662	1603965	6/5/2012	West	Linwood Dr	Cameron Dr
312	3016630	1604039	6/5/2012	West	Linwood Dr	Tacoma Dr
313	3016628	1604094	6/5/2012	West	Linwood Dr	Tacoma Dr
314	3017292	1603246	6/5/2012	Southwest	Shadowlawn Ave	Arlington Ave
315	3016490	1602221	6/5/2012	Southwest	Northwood Blvd	Greenwood Ave
316	3016492	1601401	6/5/2012	Northwest	Franklin St	Northwood Blvd
317	3016568	1601399	6/5/2012	Northeast	Franklin St	Northwood Blvd
318	3016568	1601121	6/5/2012	Northeast	Washington St	Durham St
319	3017398	1601067	6/5/2012	Southwest	Washington St	Arlington St
320	3017450	1601067	6/5/2012	Southeast	Washington St	Arlington St
321	3016112	1600729	6/5/2012	Northeast	Bloomington St	Walnut St
322	3016134	1600673	6/5/2012	Southeast	Bloomington St	Walnut St
	3016550	1599797	6/5/2012	Northwest	Bloomington St	Anderson St
	3016580	1599745	6/5/2012	Southwest	Bloomington St	Anderson St
325	3017034	1599126	6/5/2012	Southeast	Bloomington St	Park Entrance
326	3016970	1599097	6/5/2012	Southwest	Bloomington St	Maple Ave
327	3016496	1598923	6/5/2012	Northwest	Elm St	Illinois St
328	3016496	1598874	6/5/2012	Southwest	Elm St	Illinois St
329	3016550	1598923	6/5/2012	Northeast	Elm St	Illinois St
330	3016552	1598878	6/5/2012	Southeast	Elm St	Illinois St
331	3016496	1598535	6/5/2012	Northwest	Apple St	Illinois St
332	3016496	1598493	6/5/2012	Southwest	Apple St	Illinois St
333	3016548	1598529	6/5/2012	Northeast	Apple St	Illinois St
334	3016548	1598493	6/5/2012	Southeast	Apple St	Illinois St
335	3017002	1598529	6/5/2012	Northwest	Main St	Apple St
336	3017077	1598491	6/5/2012	Southeast	Main St	Apple St
337	3017344	1598653	6/5/2012	Northeast	Bloomington St	Tennessee St
338	3017372	1598593	6/5/2012	Southeast	Bloomington St	Tennessee St
339	3016498	1598199	6/5/2012	Northwest	Howard St	Illinois St
340	3016498	1598153	6/5/2012	Southwest	Howard St	Illinois St
341	3016548	1598203	6/5/2012	Northeast	Howard St	Illinois St
342	3016540	1598157	6/5/2012	Southeast	Howard St	Illinois St
343	3016924	1598203	6/5/2012	Northwest	Howard St	Maple Ave
344	3016920	1598157	6/5/2012	Southwest	Howard St	Maple Ave
345	3016970	1598203	6/5/2012	Northeast	Howard St	Maple Ave
346	3016972	1598159	6/5/2012	Southeast	Howard St	Maple Ave
347	3017119	1598161	6/5/2012	Southwest	Howard St	Main St
	3017139	1598143	6/5/2012	Southwest	Main St	Howard St
349	3016492	1597849	6/5/2012	Northwest	Ohio St	Illinois St
350	3016542	1597855	6/5/2012	Northeast	Ohio St	Illinois St
351	3016916	1597851	6/5/2012	Northwest	Maple St	Ohio St
352	3016976	1597886	6/5/2012	Northeast	Maple St	Broadway St
353	3017225	1597892	6/5/2012	Northwest	Main St	Broadway St

**City Sidewalks that need ADA Ramps**

<b>FID</b>	<b>CgX</b>	<b>CgY</b>	<b>Date Modified</b>	<b>Street Corner</b>	<b>Route</b>	<b>Intersecting Route</b>
354	3017235	1597845	6/5/2012	Southwest	Main St	Broadway St
355	3018112	1605850	6/6/2012	Northwest	Houck Rd	Eagle Ct
356	3018100	1605794	6/6/2012	Southwest	Houck Rd	Eagle Ct
357	3018022	1605571	6/6/2012	Northwest	Houck Rd	Talon Ct
	3017730	1604281	6/6/2012	Northeast	Crescent Dr	Vale Ave
359	3017697	1604251	6/6/2012	Northwest	Crescent Dr	Vale Ave
360	3017871	1603231	6/6/2012	Southeast	Shadowlawn Ave	Redbud Ln
361	3018173	1603240	6/6/2012	Southeast	Shadowlawn Ave	Dogwood Ln
362	3017876	1602724	6/6/2012	Northeast	Redbud Ln	Dogwood Ln
363	3017874	1602682	6/6/2012	Southeast	Redbud Ln	Dogwood Ln
364	3017822	1602439	6/6/2012	Northwest	Redbud Ln	Terrace Ln
365	3017873	1602439	6/6/2012	Northeast	Redbud Ln	Terrace Ln
366	3017446	1601352	6/6/2012	Southeast	Franklin St	Arlington St
367	3018269	1601070	6/6/2012	Southwest	Washington St	Wood St
368	3018317	1601068	6/6/2012	Southeast	Washington St	Wood St
369	3018267	1600331	6/6/2012	Northwest	Seminary St	Wood St
370	3018271	1600281	6/6/2012	Southwest	Seminary St	Wood St
371	3017397	1599800	6/6/2012	Northwest	Arlington St	Anderson St
372	3017395	1599754	6/6/2012	Southeast	Arlington St	Anderson St
373	3017349	1599750	6/6/2012	Southwest	Arlington St	Anderson St
374	3018271	1599798	6/6/2012	Northwest	Anderson St	Wood St
375	3018267	1599744	6/6/2012	Southwest	Anderson St	Wood St
376	3020345	1604380	6/6/2012	Northeast	Evansview St	Elliott St
377	3020199	1604376	6/6/2012	North	Evansview St	Elliott St
378	3020004	1603078	6/6/2012	Southeast	Shadowlawn Ave	Robin Wood Pl
379	3019045	1601072	6/6/2012	Southwest	Washington St	Stadium Dr
380	3019105	1601072	6/6/2012	Southeast	Washington St	Stadium Dr
381	3019590	1601070	6/6/2012	Southwest	Washington St	Hammond Dr
382	3019638	1601062	6/6/2012	Southeast	Washington St	Hammond Dr
383	3019913	1601062	6/6/2012	South	Washington St	Hammond Dr
384	3019951	1601070	6/6/2012	South	Washington St	Hammond Dr
385	3020178	1601068	6/6/2012	South	Washington St	Percy Julian Dr
386	3020215	1601064	6/6/2012	South	Washington St	Percy Julian Dr
387	3019588	1600851	6/6/2012	Northwest	Stadium Dr	Hammond Dr
388	3019640	1600853	6/6/2012	Northeast	Stadium Dr	Hammond Dr
389	3019586	1600538	6/6/2012	Northwest	Hammond Dr	Gardenside Dr
390	3019339	1596605	6/6/2012	Southeast	South St	Woodhaven Dr
391	3019337	1596383	6/6/2012	East	Woodhaven Dr	South St
392	3019309	1596366	6/6/2012	South	Woodhaven Dr	South St
393	3019088	1596180	6/6/2012	Northeast	Woodhaven Dr	Queenswood Ct
394	3019060	1596125	6/6/2012	Southeast	Woodhaven Dr	Queenswood Ct
395	3018964	1595862	6/6/2012	Northeast	Woodhaven Dr	Queenswood Ct
396	3018966	1595814	6/6/2012	Southeast	Woodhaven Dr	Queenswood Ct
397	3018954	1595310	6/6/2012	Northeast	Woodhaven Dr	Primrose Ln
398	3020914	1603633	6/6/2012	Southeast	Fawn View Ln	Glenview Ln
399	3020763	1603423	6/6/2012	Southwest	Fawn View Ln	Brentfield Dr
400	3021575	1603464	6/6/2012	Northeast	Judson Dr	Ridgeland Rd
401	3021576	1603421	6/6/2012	Southeast	Judson Dr	Ridgeland Rd
402	3021587	1603192	6/6/2012	East	Judson Dr	Canterbury Dr
403	3021590	1603020	6/6/2012	Northeast	Judson Dr	Judson Ct
404	3021585	1602969	6/6/2012	Southeast	Judson Dr	Judson Ct
405	3021587	1602752	6/6/2012	Northeast	Judson Dr	Castlebury Dr
406	3021585	1602707	6/6/2012	Southeast	Judson Dr	Castlebury Dr
407	3020940	1602656	6/6/2012	Northeast	Deer Field Dr	Deer Field Ct
408	3020883	1602656	6/6/2012	Northwest	Deer Field Dr	Deer Field Ct
409	3020605	1603117	6/6/2012	Southeast	Shadowlawn Ave	Fawn View Ln
410	3020556	1603089	6/6/2012	Southwest	Shadowlawn Ave	Fawn View Ln
411	3020586	1602802	6/6/2012	Northwest	Fawn View Ln	Robin Wood Pl
412	3020587	1602755	6/6/2012	Southwest	Fawn View Ln	Robin Wood Pl

**City Sidewalks that need ADA Ramps**

<b>FID</b>	<b>CgX</b>	<b>CgY</b>	<b>Date Modified</b>	<b>Street Corner</b>	<b>Route</b>	<b>Intersecting Route</b>
413	3020646	1602657	6/6/2012	Northeast	Fawn View Ln	Deer Field Dr
414	3020617	1602515	6/6/2012	Northwest	Fawn View Ln	Deer Field Dr
415	3020622	1602456	6/6/2012	Southwest	Fawn View Ln	Deer Field Dr
416	3020966	1601950	6/6/2012	Northeast	Indianapolis Rd	Fawn View Ln
	3020973	1601875	6/6/2012	Southeast	Indianapolis Rd	Percy Julian Dr
418	3021059	1601973	6/6/2012	Northwest	Indianapolis Rd	Greenwood Dr
419	3020971	1601672	6/6/2012	Northeast	Percy Julian Dr	B Ave
420	3022254	1601063	6/6/2012	Southwest	5th St	D Ave
421	3022290	1601063	6/6/2012	Southeast	5th St	D Ave
422	3021272	1598134	6/6/2012	Northeast	Woods Edge Blvd	Pine Wood Ct
423	3021200	1598108	6/6/2012	Northwest	Woods Edge Blvd	Cherry Wood Ct
424	3021224	1598060	6/6/2012	Southwest	Woods Edge Blvd	Cherry Wood Ct
425	3021287	1598086	6/6/2012	Southeast	Woods Edge Blvd	Pine Wood Ct
426	3021382	1597795	6/6/2012	Northwest	Woods Edge Blvd	Cottonwood Ct
427	3021416	1597759	6/6/2012	Southwest	Woods Edge Blvd	Cottonwood Ct
428	3021594	1597731	6/6/2012	Northwest	Woods Edge Blvd	Cedarwood Dr
429	3021649	1597728	6/6/2012	Northeast	Woods Edge Blvd	Cedarwood Dr
430	3021590	1597676	6/6/2012	Southwest	Woods Edge Blvd	Cedarwood Dr
431	3021647	1597678	6/6/2012	Southeast	Woods Edge Blvd	Cedarwood Dr
432	3021305	1597222	6/6/2012	North	Cedarwood Dr	Woods Edge Blvd
433	3021272	1597181	6/6/2012	West	Cedarwood Dr	Woods Edge Blvd
434	3021348	1597186	6/6/2012	East	Cedarwood Dr	Woods Edge Blvd
435	3021566	1603946	6/6/2012	Northeast	Judson Dr	Grenview Dr
436	3022468	1601975	6/6/2012	Northwest	Indianapolis Rd	Longcastle Dr
437	3023421	1601972	6/6/2012	North	Indianapolis Rd	10th St
438	3023560	1603288	6/6/2012	Southwest	10th St	Bretland Dr
439	3023610	1602177	6/6/2012	East	10th St	Indianapolis Rd
440	3023568	1602146	6/6/2012	West	10th St	Indianapolis Rd
441	3023567	1601064	6/6/2012	Southwest	10th St	D Ave
442	3018253	1599300	6/6/2012	Northwest	Wood St	Park Entrance
443	3023568	1602094	6/6/2012	West	10th St	Indianapolis Rd
444	3021319	1597129	6/7/2012	South	Cedarwood Dr	Woods Edge Blvd
445	3015485	1598915	6/7/2012	Northeast	Locust St	Elm St
446	3015486	1598882	6/7/2012	Southeast	Locust ST	Elm St
447	3014909	1600848	6/7/2012	Northwest	College Ave	Walnut St
448	3014905	1600799	6/7/2012	Southwest	College Ave	Walnut St
449	3014905	1600329	6/7/2012	Northwest	College Ave	Seminary St
450	3014906	1600589	6/7/2012	Northwest	College Ave	Poplar St
451	3014900	1600547	6/7/2012	Southwest	Poplar St	College Ave
452	3017824	1603231	6/7/2012	Southwest	Shadowlawn Ave	Redbud Ln

**Total            453**

(

(

(

**ADA Ramps in City**

FID	CgX	CgY	Date Modified	Type ADA	Street Corner	Route	Intersecting Street
0	3013284	1601863	6/4/2012		Southwest	Liberty St	Jefferson St
1	3013335	1601870	6/4/2012		Southeast	Liberty St	Jefferson St
2	3013546	1601870	6/4/2012		Southwest	Liberty St	Madison St
	3013284	1601658	6/4/2012		Northwest	Columbia St	Jefferson St
	3013064	1601660	6/4/2012		Northeast	Columbia St	Gillespie St
5	3013335	1601653	6/4/2012		Northeast	Columbia St	Jefferson St
6	3013546	1601658	6/4/2012		Northwest	Columbia St	Madison St
7	3013284	1601604	6/4/2012		Southwest	Columbia St	Jefferson St
8	3013333	1601600	6/4/2012		Southeast	Columbia St	Jefferson St
9	3013599	1601655	6/4/2012		Northeast	Columbia St	Madison St
10	3013284	1601392	6/4/2012		Northwest	Franklin St	Jefferson St
11	3013335	1601394	6/4/2012		Northeast	Franklin St	Jefferson St
12	3013287	1601333	6/4/2012		Southwest	Franklin St	Jefferson St
13	3013340	1601336	6/4/2012		Southeast	Franklin St	Jefferson St
14	3013546	1601392	6/4/2012		Northwest	Franklin St	Madison St
15	3013601	1601394	6/4/2012		Northeast	Franklin St	Madison St
16	3013289	1601121	6/4/2012		Northwest	Washington St	Jefferson St
17	3013338	1601123	6/4/2012		Northeast	Washington St	Jefferson St
18	3013284	1601060	6/4/2012		Southwest	Washington St	Jefferson St
19	3013338	1601055	6/4/2012		Southeast	Washington St	Jefferson St
20	3013601	1601058	6/4/2012		Southeast	Washington St	Madison St
21	3013072	1601058	6/4/2012		Southeast	Gillespie St	Washington St
22	3013072	1600844	6/4/2012		Northeast	Walnut St	Gillespie St
23	3013287	1600842	6/4/2012		Northwest	Walnut St	Jefferson St
24	3013336	1600842	6/4/2012		Northeast	Walnut St	Jefferson St
25	3013292	1600789	6/4/2012		Southwest	Walnut St	Jefferson St
26	3013334	1600795	6/4/2012		Southeast	Walnut St	Jefferson St
27	3013599	1600793	6/4/2012		Southeast	Walnut St	Madison St
	3014403	1603199	6/5/2012		Southeast	Indiana St	Shadowlawn Ave
	3014406	1602379	6/5/2012		Northeast	Indiana St	Jacob St
30	3014409	1602339	6/5/2012		Southeast	Indiana St	Jacob St
31	3014891	1602378	6/5/2012		Northwest	College Ave	Jacob St
32	3014077	1601921	6/5/2012		Northwest	Jackson St	Liberty St
33	3014358	1601916	6/5/2012		Northwest	Indiana St	Liberty St
34	3014897	1601879	6/5/2012		Southwest	College Ave	Liberty St
35	3014683	1601658	6/5/2012		Northeast	Columbia St	Vine St
36	3014634	1601660	6/5/2012		Northwest	Columbia St	Vine St
37	3014580	1601619	6/5/2012		South	Columbia St	Vine St
38	3014554	1601618	6/5/2012		South	Columbia St	Vine St
39	3014416	1601615	6/5/2012		Southeast	Indiana St	Columbia St
40	3014415	1601542	6/5/2012		East	Indiana St	Franklin St
41	3014415	1601515	6/5/2012		East	Indiana St	Franklin St
42	3014412	1601492	6/5/2012		East	Indiana St	Franklin St
43	3014413	1601467	6/5/2012		East	Indiana St	Franklin St
44	3014080	1601613	6/5/2012		Southwest	Jackson St	Columbia St
45	3013812	1601652	6/5/2012		Northwest	Columbia St	Market St
46	3013862	1601660	6/5/2012		Northeast	Columbia St	Market St
47	3013819	1601398	6/5/2012		Northwest	Franklin St	Market St
48	3013865	1601392	6/5/2012		Northeast	Franklin St	Market St
49	3013862	1601339	6/5/2012		Southeast	Franklin St	Market St
50	3014080	1601398	6/5/2012		Northwest	Franklin St	Jackson St
51	3014139	1601386	6/5/2012		Northeast	Franklin St	Jackson St
	3014082	1601339	6/5/2012		Southwest	Franklin St	Jackson St
	3014415	1601400	6/5/2012		Northeast	Franklin St	Indiana St
54	3014083	1601121	6/5/2012		Northwest	Jackson St	Washington St
55	3014145	1601069	6/5/2012		Southeast	Jackson St	Washington St
56	3014071	1601072	6/5/2012		Southwest	Washington St	Jackson St
57	3014088	1601061	6/5/2012		Southwest	Jackson St	Washington St
58	3014361	1601072	6/5/2012		Southwest	Jackson St	Washington St

ADA Ramps in City

FID	CgX	CgY	Date Modified	Type ADA	Street Corner	Route	Intersecting Street
59	3014416	1601072	6/5/2012		Southeast	Jackson St	Washington St
60	3013816	1600792	6/5/2012		Southwest	Walnut St	Market St
61	3014683	1601342	6/5/2012		Southeast	Franklin St	Vine St
	3014897	1601397	6/5/2012		Northwest	Franklin St	College Ave
	3014903	1601343	6/7/2012		Southwest	Franklin St	College Ave
64	3014416	1600798	6/5/2012		Southeast	Indiana St	Walnut St
65	3014452	1600797	6/5/2012		South	Walnut St	Indiana St
66	3014474	1600800	6/5/2012		South	Walnut St	Indiana St
67	3014637	1600795	6/5/2012		Southwest	Walnut St	Vine St
68	3014686	1600846	6/5/2012		Northeast	Walnut St	Vine St
69	3013859	1600585	6/5/2012		Northeast	Market St	Poplar St
70	3013871	1600576	6/5/2012		Northeast	Poplar St	Market St
71	3014091	1600589	6/5/2012		Northwest	Jackson St	Poplar St
72	3014082	1600576	6/5/2012		Northwest	Poplar St	Jackson St
73	3014079	1600543	6/5/2012		Southwest	Poplar St	Jackson St
74	3014091	1600525	6/5/2012		Southwest	Jackson St	Poplar St
75	3014134	1600592	6/5/2012		Northeast	Jackson St	Poplar St
76	3014148	1600579	6/5/2012		Northeast	Poplar St	Jackson St
77	3014146	1600542	6/5/2012		Southeast	Poplar St	Jackson St
78	3014137	1600527	6/5/2012		Southeast	Jackson St	Poplar St
79	3014357	1600539	6/5/2012		Southwest	Poplar St	Indiana St
80	3014364	1600533	6/5/2012		Southwest	Indiana St	Poplar St
81	3014418	1600537	6/5/2012		Southeast	Indiana St	Poplar St
82	3014640	1600583	6/5/2012		Northwest	Poplar St	Vine St
83	3014640	1600539	6/5/2012		Southwest	Poplar St	Vine St
84	3014136	1600330	6/5/2012		Northeast	Jackson St	Seminary St
85	3014146	1600316	6/5/2012		Northeast	Seminary St	Jackson St
86	3014148	1600283	6/5/2012		Southeast	Seminary St	Jackson St
	3014139	1600270	6/5/2012		Southeast	Jackson St	Seminary St
	3014082	1600277	6/5/2012		Southwest	Seminary St	Jackson St
89	3014094	1600267	6/5/2012		Southwest	Jackson St	Seminary St
90	3014140	1600062	6/5/2012		Northeast	Jackson St	Hill St
91	3014364	1600064	6/5/2012		Northwest	Indiana St	Hill St
92	3014904	1600279	6/5/2012		Southwest	College Ave	Seminary St
93	3014946	1600282	6/5/2012		Southeast	College Ave	Seminary St
94	3014366	1599317	6/5/2012		Northwest	Indiana St	Hanna St
95	3014089	1599316	6/5/2012		Northwest	Jackson St	Hanna St
96	3014079	1599267	6/5/2012		Southwest	Jackson St	Hanna St
97	3014151	1599276	6/5/2012	Large	Southeast	Jackson St	Hanna St
98	3014154	1599338	6/5/2012		Northeast	Hanna St	Jackson St
99	3014348	1598613	6/5/2012		Southeast	Indiana St	Olive St
100	3014957	1598662	6/5/2012		Northeast	College Ave	Olive St
101	3014910	1598625	6/5/2012		Southwest	College Ave	Olive St
102	3014957	1598617	6/5/2012		Southeast	College Ave	Olive St
103	3014664	1598622	6/5/2012		Southeast	Olive St	Lincoln Ave
104	3014345	1597076	6/5/2012		Southeast	Indiana St	Berry St
105	3014940	1603196	6/5/2012		Southeast	College Ave	Shadowlawn Ave
106	3015418	1603202	6/5/2012		Southwest	Shadowlawn Ave	Melrose Ave
107	3015459	1603200	6/5/2012		Southeast	Shadowlawn Ave	Melrose Ave
108	3015862	1603204	6/5/2012		Southwest	Shadowlawn Ave	Hilldale Ave
109	3015917	1603200	6/5/2012		Southeast	Shadowlawn Ave	Hilldale Ave
110	3014944	1602133	6/5/2012		Northeast	College Ave	Melrose Ave
	3014934	1602079	6/5/2012		Southeast	College Ave	Melrose Ave
	3014944	1601126	6/5/2012		Northeast	College Ave	Washington St
113	3014944	1600859	6/5/2012		Northeast	College Ave	Walnut St
114	3014952	1600845	6/5/2012		Northeast	Walnut St	College Ave
115	3014942	1600798	6/5/2012		Southeast	College Ave	Walnut St
116	3014952	1600810	6/5/2012		Southeast	Walnut St	College Ave
117	3015412	1601122	6/5/2012		Northwest	Washington St	Locust St

**ADA Ramps in City**

<b>FID</b>	<b>CgX</b>	<b>CgY</b>	<b>Date Modified</b>	<b>Type ADA</b>	<b>Street Corner</b>	<b>Route</b>	<b>Intersecting Street</b>
118	3015408	1601074	6/5/2012		Southwest	Washington St	Locust St
119	3015481	1601068	6/5/2012		Southeast	Locust St	Washington St
120	3015495	1601074	6/5/2012		Southeast	Washington St	Locust St
121	3015426	1601349	6/5/2012		Southwest	Franklin St	Locust St
122	3015485	1601347	6/5/2012		Southeast	Franklin St	Locust St
123	3015987	1600839	6/5/2012		Northwest	Bloomington St	Walnut St
124	3015983	1600823	6/5/2012		Northwest	Walnut St	Bloomington St
125	3016005	1600786	6/5/2012		Southwest	Walnut St	Bloomington St
126	3016021	1600778	6/5/2012		Southwest	Bloomington St	Walnut St
127	3015493	1600282	6/5/2012		Southeast	Seminary St	Locust St
128	3015481	1600268	6/5/2012		Southeast	Locust St	Seminary St
129	3015830	1600324	6/5/2012		Northeast	Seminary St	Taylor Pl
130	3015424	1599269	6/5/2012		Southwest	Locust St	Hanna St
131	3015702	1598919	6/5/2012		Northeast	Elm St	Central St
132	3015659	1598921	6/5/2012		Northwest	Elm St	Central St
133	3015655	1598875	6/5/2012		Southwest	Elm St	Central St
134	3016080	1598927	6/5/2012		Northwest	Elm St	Crown St
135	3016132	1598919	6/5/2012		Northeast	Elm St	Crown St
136	3016128	1598871	6/5/2012		Southeast	Elm St	Crown St
137	3015503	1598158	6/5/2012		Southeast	Locust St	Howard St
138	3015439	1598667	6/5/2012		Northwest	Locust St	Olive St
139	3016133	1597848	6/5/2012		Northeast	Crown St	Ohio St
140	3016131	1597800	6/5/2012		Southeast	Crown St	Ohio St
141	3016079	1597502	6/5/2012		Northwest	Crown St	Sycamore St
142	3014919	1597124	6/5/2012		Northwest	College Ave	Berry St
143	3014965	1597120	6/5/2012		Northeast	College Ave	Berry St
144	3015526	1597074	6/5/2012		Southeast	Locust St	Berry St
145	3015657	1597074	6/5/2012		Southwest	Berry St	Putnamville St
146	3013813	1601336	6/5/2012		Southwest	Franklin St	Market St
147	3017277	1603889	6/5/2012		Northeast	Arlington Ave	Hillcrest Dr
148	3017279	1603842	6/5/2012		Southeast	Arlington Ave	Hillcrest Dr
149	3016224	1603207	6/5/2012		Southwest	Shadowlawn Ave	Greenwood Ave
150	3016273	1603213	6/5/2012		Southeast	Shadowlawn Ave	Greenwood Ave
151	3016606	1603227	6/5/2012		Southwest	Shadowlawn Ave	Highfall Ave
152	3016665	1603231	6/5/2012		Southeast	Shadowlawn Ave	Highfall Ave
153	3016701	1603231	6/5/2012		Southwest	Highfall Ave	Shadowlawn Ave
154	3016751	1603231	6/5/2012		Southeast	Highfall Ave	Shadowlawn Ave
155	3016835	1603290	6/5/2012		Northwest	Shadowlawn Ave	Linwood Dr
156	3017346	1603300	6/5/2012		Northeast	Shadowlawn Ave	Arlington Ave
157	3017354	1603252	6/5/2012		Southeast	Shadowlawn Ave	Arlington Ave
158	3016574	1602241	6/5/2012		Southeast	Northwood Blvd	Highwood Ave
159	3016488	1602050	6/5/2012		Northwest	Hillsdale Ave	Northwood Blvd
160	3016486	1602004	6/5/2012		Southwest	Hillsdale Ave	Northwood Blvd
161	3017292	1602102	6/5/2012		Northeast	Arlington Ave	Highwood Ave
162	3017294	1602052	6/5/2012		Southeast	Arlington Ave	Highwood Ave
163	3017286	1601807	6/5/2012		Northeast	Arlington Ave	Highridge Ave
164	3017296	1601766	6/5/2012		Southeast	Arlington Ave	Highridge Ave
165	3016572	1601815	6/5/2012		Northeast	Northwood Blvd	Ridge Ave
166	3016566	1601768	6/5/2012		Southeast	Northwood Blvd	Ridge Ave
167	3017227	1601405	6/5/2012		Northwest	Franklin St	Arlington Ave
168	3017292	1601419	6/5/2012		Northeast	Arlington Ave	Franklin St
169	3017306	1601399	6/5/2012		Northeast	Franklin St	Arlington Ave
170	3016514	1601127	6/5/2012		Northwest	Washington St	Durham St
171	3017380	1601123	6/5/2012		Northwest	Washington St	Arlington Ave
172	3017400	1601139	6/5/2012		Northwest	Arlington Ave	Washington St
173	3017450	1601125	6/5/2012		Northeast	Arlington St	Washington St
174	3015955	1601069	6/5/2012		Southeast	Washington St	Bloomington St
175	3015929	1601053	6/5/2012		Southeast	Bloomington St	Washington St
176	3016261	1600343	6/5/2012		Northwest	Bloomington St	Seminary St

**ADA Ramps in City**

FID	CgX	CgY	Date Modified	Type ADA	Street Corner	Route	Intersecting Street
177	3016255	1600323	6/5/2012		Northwest	Seminary St	Bloomington St
178	3016289	1600277	6/5/2012		Southwest	Seminary St	Bloomington St
179	3016307	1600265	6/5/2012		Southwest	Bloomington St	Seminary St
	3016319	1600341	6/5/2012		Northeast	Bloomington St	Seminary St
	3016333	1600323	6/5/2012		Northeast	Seminary St	Bloomington St
182	3016361	1600279	6/5/2012		Southeast	Seminary St	Bloomington St
183	3016351	1600271	6/5/2012		Southeast	Bloomington St	Seminary St
184	3016616	1599803	6/5/2012		Northeast	Bloomington St	Anderson St
185	3016644	1599747	6/6/2012		Southeast	Bloomington St	Anderson St
186	3016504	1599264	6/5/2012		Southwest	Hanna St	Illinois St
187	3016548	1599262	6/5/2012		Northeast	Hanna St	Illinois St
188	3016815	1599321	6/6/2012		Northwest	Bloomington St	Hanna St
189	3016845	1599260	6/5/2012		Southwest	Bloomington St	Hanna St
190	3016916	1599150	6/6/2012		Northwest	Bloomington St	Maple Ave
191	3016920	1598921	6/6/2012		Northwest	Maple Ave	Elm St
192	3016924	1598880	6/5/2012		Southwest	Maple Ave	Elm St
193	3016996	1599178	6/5/2012		Northeast	Bloomington St	Park Entrance
194	3017060	1598533	6/5/2012		Northeast	Main St	Apple St
195	3017010	1598491	6/5/2012		Southwest	Main St	Apple St
196	3017111	1598203	6/6/2012		Southwest	Main St	Howard St
197	3017183	1598183	6/5/2012		Northeast	Main St	Block St
198	3017205	1598135	6/5/2012		Southeast	Main St	Block St
199	3016488	1597803	6/6/2012		Southwest	Illinois St	Ohio St
200	3016534	1597456	6/6/2012		Southeast	Illinois St	Sycamore St
201	3016540	1597329	6/6/2012		Northeast	Illinois St	Berry St
202	3016612	1597508	6/6/2012		North	Sycamore St	Illinois St
203	3016638	1597534	6/6/2012		North	Sycamore St	Illinois St
204	3016916	1597801	6/6/2012		Southwest	Maple Ave	Ohio St
	3016779	1597620	6/6/2012		North	Sycamore St	Maple Ave
206	3016819	1597636	6/6/2012		North	Sycamore St	Maple Ave
207	3016930	1597675	6/6/2012		Northwest	Maple Ave	Sycamore St
208	3016950	1597642	6/6/2012		Southwest	Maple Ave	Sycamore St
209	3017290	1597886	6/6/2012		Northeast	Main St	Broadway St
210	3017770	1604666	6/6/2012		Northwest	Albin Pond Rd	Houck Rd
211	3017800	1604632	6/6/2012		Southwest	Albin Pond Rd	Houck Rd
212	3017621	1604536	6/6/2012		Southeast	Arlington Ave	Vale Ave
213	3017575	1604514	6/6/2012		Southwest	Arlington Ave	Vale Ave
214	3018071	1604375	6/6/2012		Northeast	Crescent Dr	Crescent Ct
215	3018109	1604351	6/6/2012		Southeast	Crescent Dr	Crescent Ct
216	3018132	1604106	6/6/2012		Northwest	Crescent Dr	Meadow Dr
217	3018132	1604055	6/6/2012		Southwest	Crescent Dr	Meadow Dr
218	3017541	1603867	6/6/2012		Northwest	Crescent Dr	Hillcrest Dr
219	3017587	1603867	6/6/2012		Northeast	Crescent Dr	Hillcrest Dr
220	3017802	1603869	6/6/2012		Northwest	Hillcrest Dr	Meadow Dr
221	3017854	1603864	6/6/2012		Northeast	Hillcrest Dr	Meadow Dr
222	3018069	1603631	6/6/2012		Northeast	Hillcrest Dr	Hillcrest Dr
223	3018081	1603615	6/6/2012		Northeast	Hillcrest Dr	Hillcrest Dr
224	3018073	1603559	6/6/2012		Southeast	Meadow Dr	Hillcrest Dr
225	3018089	1603569	6/6/2012		Southeast	Hillcrest Dr	Meadow Dr
226	3018011	1603294	6/6/2012		Northwest	Shadowlawn Ave	Meadow Dr
227	3018063	1603296	6/6/2012		Northeast	Shadowlawn Ave	Meadow Dr
228	3018126	1603233	6/6/2012		Southwest	Shadowlawn Ave	Dogwood Ln
	3017438	1602438	6/6/2012		Northeast	Arlington Ave	Terrace Ln
	3017388	1602393	6/6/2012		Southeast	Arlington Ave	Terrace Ln
231	3017762	1601401	6/6/2012		Northwest	Franklin St	DePauw Ave
232	3017818	1601407	6/6/2012		Northeast	Franklin St	DePauw Ave
233	3018316	1600599	6/6/2012		Northeast	Wood St	Gardenside Dr
234	3017396	1600325	6/6/2012		Northwest	Seminary St	Arlington St
235	3017442	1600325	6/6/2012		Northeast	Seminary St	Arlington St

**ADA Ramps in City**

FID	CgX	CgY	Date Modified	Type ADA	Street Corner	Route	Intersecting Street
236	3017450	1600281	6/6/2012		Southeast	Seminary St	Arlington St
237	3017398	1600271	6/6/2012		Southwest	Arlington St	Seminary St
238	3017384	1600277	6/6/2012		Southwest	Seminary St	Arlington St
239	3017446	1599797	6/6/2012		Northeast	Anderson St	Arlington St
240	3017517	1597964	6/6/2012		Northwest	Bloomington St	Broadway St
241	3017537	1597904	6/6/2012		Southwest	Bloomington St	Broadway St
242	3017569	1597797	6/6/2012		Northwest	Bloomington St	V.M.H
243	3017653	1597837	6/6/2012		Northeast	Bloomington St	V.M.H
244	3017597	1597709	6/6/2012		Southwest	Bloomington St	V.M.H
245	3017669	1597745	6/6/2012		Southeast	Bloomington St	V.M.H
246	3017800	1597347	6/6/2012		Northeast	Bloomington St	Martinsville St
247	3017830	1597289	6/6/2012		Southeast	Bloomington St	Martinsville St
248	3017955	1597333	6/6/2012		North	Martinsville St	Bloomington St
249	3018272	1597289	6/6/2012		Southwest	Martinsville St	West St
250	3018314	1597289	6/6/2012		Southeast	Martinsville St	West St
251	3018598	1597287	6/6/2012		Southwest	Martinsville St	Fairview St
252	3018646	1597285	6/6/2012		Southeast	Martinsville St	Fairview St
253	3019352	1605175	6/6/2012		Southwest	Albin Pond Rd	Kirkwood Dr
254	3019385	1605194	6/6/2012		Southeast	Albin Pond Rd	Kirkwood Dr
255	3019416	1605205	6/6/2012		Southwest	Kirkwood Dr	Albin Pond Rd
256	3019462	1605213	6/6/2012		Southeast	Kirkwood Dr	Albin Pond Rd
257	3019734	1605316	6/6/2012		Southwest	Albin Pond Rd	Castleton Dr
258	3019791	1605334	6/6/2012		Southeast	Albin Pond Rd	Castleton Dr
259	3020204	1604327	6/6/2012		South	Evansview Dr	Elliott St
260	3020269	1604326	6/6/2012		Southwest	Evansview Dr	Elliott St
261	3020278	1604310	6/6/2012		Southwest	Elliott St	Evansview Dr
262	3020350	1604331	6/6/2012		Southeast	Evansview Dr	Elliott St
263	3020328	1604312	6/6/2012		Southeast	Elliott St	Evansview Dr
264	3020286	1603944	6/6/2012		Northwest	Elliott St	Anthony St
265	3020555	1603894	6/6/2012		North	Anthony St	Elliott St
266	3018914	1597281	6/6/2012		Southwest	Martinsville St	East St
267	3019609	1597287	6/6/2012		South	Martinsville St	Central Ave
268	3019741	1597282	6/6/2012		South	Martinsville St	Central Ave
269	3019834	1597284	6/6/2012		South	Martinsville St	Central Ave
270	3019927	1597281	6/6/2012		South	Martinsville St	Central Ave
271	3021229	1605827	6/6/2012		Southwest	Albin Pond Rd	Toddson Dr
272	3020935	1603674	6/6/2012		Northeast	Fawnview Ln	Glenview Ln
273	3021563	1603899	6/6/2012		Southeast	Judson Dr	Glenview Dr
274	3020881	1601931	6/6/2012		Northwest	Indianapolis Rd	Fawn View Ln
275	3020892	1601856	6/6/2012		Southwest	Indianapolis Rd	Fawn View Ln
276	3020967	1601617	6/6/2012		Southeast	Percy Julian Dr	B Ave
277	3020957	1601379	6/6/2012		Northeast	Percy Julian Dr	C Ave
278	3020961	1601336	6/6/2012		Southeast	Percy Julian Dr	C Ave
279	3020907	1601120	6/6/2012		Northwest	Percy Julian Dr	Washington St
280	3020900	1601059	6/6/2012		Southwest	Percy Julian Dr	Washington St
281	3020950	1601094	6/6/2012		Northeast	Percy Julian Dr	D Ave
282	3020952	1601053	6/6/2012		Southeast	Percy Julian Dr	D Ave
283	3020962	1600530	6/6/2012		Northeast	Percy Julian Dr	F Ave
284	3021485	1600280	6/6/2012		Northeast	F Ave	Mill Pond Ln
285	3021480	1600230	6/6/2012		Southeast	F Ave	Mill Pond Ln
286	3021483	1600069	6/6/2012		Northeast	F Ave	Mill Pond Ln
287	3021439	1600039	6/6/2012		Northwest	F Ave	Mill Pond Ln
288	3021482	1600015	6/6/2012		Southeast	F Ave	Mill Pond Ln
289	3020974	1599814	6/6/2012		Northeast	Percy Julian Dr	Mill Pond Ln
290	3020967	1599769	6/6/2012		Southeast	Percy Julian Dr	Mill Pond Ln
291	3020978	1599532	6/6/2012		Northeast	Percy Julian Dr	S.R. 240
292	3020969	1599429	6/6/2012		Southeast	Zinc Mill Rd	S.R. 240
293	3020892	1599480	6/6/2012		Northwest	Percy Julian Dr	S.R. 240
294	3021676	1603943	6/6/2012		Northwest	Glenview Dr	Elm Leaf Dr

**ADA Ramps in City**

<b>FID</b>	<b>CgX</b>	<b>CgY</b>	<b>Date Modified</b>	<b>Type ADA</b>	<b>Street Corner</b>	<b>Route</b>	<b>Intersecting Street</b>
295	3021723	1603947	6/6/2012		Northeast	Glenview Dr	Elm Leaf Dr
296	3021525	1603641	6/6/2012		Northwest	Glenview Ln	Judson Dr
297	3021570	1603598	6/6/2012		Southeast	Glenview Ln	Judson Dr
298	3023006	1601914	6/6/2012		South	Indianapolis Rd	Warren Dr
299	3022928	1601914	6/6/2012		South	Indianapolis Rd	Warren Dr
300	3023572	1603063	6/6/2012		Northwest	10th St	Autumn Glen Dr
301	3023573	1603016	6/6/2012		Southwest	10th St	Autumn Glen Dr
302	3023520	1601970	6/6/2012		Northwest	Indianapolis Rd	10th St
303	3023555	1601993	6/6/2012		Northwest	10th St	Indianapolis Rd
304	3023627	1601994	6/6/2012		Northeast	10th St	Indianapolis Rd
305	3023661	1601981	6/6/2012		Northeast	Indianapolis Rd	10th St
306	3023620	1601124	6/6/2012		Northeast	Warren Dr	D Ave
307	3032289	1604162	6/6/2012		West	Fillmore Rd	50 S.

**Total      308**

## **APPENDIX F**



## **APPENDIX G**

RESOLUTION NO. 2010-1



RESOLUTION ESTABLISHING A SIDEWALK IMPROVEMENT PROGRAM

WHEREAS THE Board of Public Works and Safety of the City of Greencastle, desires to improve the sidewalks of Greencastle;

WHEREAS, sidewalks benefit the property owners and the City of Greencastle; and


WHEREAS the Board of Public Works and Safety believes that matching funds for the improvement of sidewalks should be provided by the City of Greencastle to the property owners on a 50/50 basis.

NOW, THEREFORE, BE IT RESOLVED by the Board of Public Works and Safety of the City of Greencastle, State of Indiana as follows:


1. A committee shall be formed for the purpose of implementing a sidewalk improvement program. The committee shall prioritize applications for matching funds for the purpose of sidewalk improvement. Said committee shall be composed of the following: the City Engineer; the City Attorney; and the Superintendent of the Greencastle Department of Public Works. Priority shall be given to residential homeowners and neighborhoods.
2. The committee shall develop application forms, development standards, dates to advertise and accept or deny applications for sidewalk improvements, and procedures to implement the program.
3. The committee shall consider public safety and the present sidewalk conditions as criteria in placing sidewalk improvements on a priority list.
4. The committee shall adopt such rules as deemed necessary to provide for the efficient expenditure of City of Greencastle funds.
5. All applicants selected by the committee shall be notified of said selection by mail.
6. Selected sidewalk projects shall be funded on a 50/50 basis with fifty percent (50%) of said funds coming from the property owner and fifty percent (50%) of said funds being matched by the City.
7. Selected applicants shall be required to pay their fifty percent (50%) allocation prior to construction. The City shall contract for the construction of the sidewalk.

Passed and resolved by the Board of Public Works and Safety of the City of Greencastle, Putnam County, Indiana on the 17th day of March, 2010.


City of Greencastle  
Board of Public Works and Safety



Sue Murray, Mayor



Thom Morris



Trudy Selvia

**City of Greencastle**  
**SIDEWALK IMPROVEMENT PROGRAM**  
**Program Description**

The City of Greencastle Sidewalk Improvement Program is a program designed to encourage the reconstruction, repair, and replacement of sidewalks within the Greencastle corporate limits. With ever-decreasing public funds available for public works projects, it is imperative that we make every dollar count. With your help, this program enables the City to repair or replace twice as many sidewalks. The property owner or Applicant would be responsible for paying 50% of the cost to repair the sidewalk. The City would take care of the rest. This is how it works:

**Application Process**

1. Who may apply? Any person may apply to have a section of sidewalk repaired or replaced. You do not have to be the immediate owner of the adjacent property where the sidewalk is located. Groups of neighbors are encouraged to come together to submit a single application or series of applications.
  
2. Which sidewalks qualify?
  - a. A list of criteria that the City will use to determine which sidewalks are eligible for the program is attached. The City will rank the sidewalk based on those criteria. Preference will be given to sidewalks that are unsafe or that do not meet ADA requirements. Please note that any sidewalk that is chosen that does not meet ADA standards will be brought up to ADA standards, including ramps at intersections. Only those portions of sidewalks that need repair will be included. Sections that do not meet the criteria will be excluded. The City will be responsible for any necessary tree removal involving City street trees. Any other tree removal would be the responsibility of the homeowner, prior to construction.
  - b. This program is generally directed toward residential sidewalks and priority shall be given to applications for the improvement of sidewalks in residential areas. Applications for commercial, industrial and other areas may be considered but will not be given priority.
  - c. This program does not include the construction of new sidewalk where a sidewalk has not existed, or the construction of curb.
  - d. In order to qualify, the section of sidewalk must be at least 75 square feet in size, unless an exception is granted, below.
  - e. The Committee may make exceptions to the above guidelines where there are special safety concerns, unusual circumstances or where it is otherwise in the City's best interests.
  
3. It is estimated that the cost of replacement of the sidewalk is approximately \$6.00 per square foot of sidewalk; however, this amount could vary depending upon topography, size of area, the need to remove tree roots, and many other factors.
  
4. Application deadline. The Application must be completed in its entirety. Applications must be submitted to the Superintendent of the Greencastle Department of Public Works no later than **May 15**. If your application is not submitted by that date, or it is incomplete, your application will not be considered.

5. Sidewalk location. It is important that your description of the area to be repaired is clearly described in the Application. Applicants should spray paint a small arrow inward on the ends of each section of sidewalk they are requesting to be repaired.
6. Evaluation Process.
  - a. Initial Screening. Once the City has received your application, it will review it to determine whether it is complete, is located within the City's corporate boundaries, and does not include curb, driveway or connections from the sidewalk to residences or the curb. We will also determine whether it is located within the City's right-of-way. Those not meeting the requirements will be eliminated.
  - b. Ranking. The City will visit the site and rank all of the remaining applications in order of need for replacement based on its criteria, as described above. The City reserves the right to shorten or lengthen the area contained on the Application depending on the length necessary to adequately improve the sidewalk.
  - c. Cost Determination/Payment. The City will include those sidewalks that qualify and have the highest ranking in its bid documents for annual sidewalk construction. The City goes through a public bidding process for its sidewalk construction pursuant to public purchasing laws. Once we receive the bids, the contract will be awarded to the lowest responsible and responsive bidder. Based upon available funding, the City will send a notice to each selected applicant stating what the bid was for their portion of sidewalk. The Applicant will then have thirty days to accept the bid and submit their 50% share of the cost. If the City has not received payment by the deadline, the application will be removed from the construction list and will not be completed. It is estimated that the payments would be required within 90 days of the submission of the application.
6. Construction. The City will contract for the construction of the sidewalk and will be responsible for all contract administration. Applicants can not interfere with the construction and may not write or make other markings in the concrete. The sidewalk is and will remain the property of the City.

There is no guarantee that the City will choose all, or any, application to participate. Selection for participation in the Program will be based on many factors, including available funding and the condition of the sidewalks included in the submitted Applications.

If you have any questions regarding the Program, please call Garth Hughes, City Engineer at 653-0445 or Laurie Hardwick, City Attorney at 655-2301.

**City of Greencastle**  
**Application for Sidewalk Improvement Fund**

Address of Repairs

Homeowner's Name: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Telephone Number: \_\_\_\_\_

Length of sidewalk to be removed \_\_\_\_\_ feet

Width of sidewalk to be removed \_\_\_\_\_ feet

Length of sidewalk to be installed \_\_\_\_\_ feet

Width of sidewalk to be installed \_\_\_\_\_ feet

Portion of sidewalk to be repaired begins \_\_\_\_\_ feet from the intersection of  
\_\_\_\_\_ and \_\_\_\_\_ Streets, on the \_\_\_\_\_  
side of the street.

Reason for Application:

\_\_\_\_\_ Raised Sidewalk

\_\_\_\_\_ Cracked

\_\_\_\_\_ No sidewalk present

\_\_\_\_\_ No ramp (intersections only)

\_\_\_\_\_ Other (please explain)

\_\_\_\_\_

By submitting this application, I certify that I have read and understand the Sidewalk Improvement Program Application Packet accompanying this Application and that I agree to abide by the terms described therein. I am requesting that the City of Greencastle consider repairing my sidewalk pursuant to those terms.

Signature: \_\_\_\_\_

Printed Name: \_\_\_\_\_

Date: \_\_\_\_\_

Mail Applications to: Greencastle Street Department  
502 North College Street  
Greencastle, IN 46135

**Applications are due no later than May 15, 2012.**

City of Greencastle  
SIDEWALK IMPROVEMENT PROGRAM  
Sidewalk Evaluation Criteria

Below is a list of criteria that the City of Greencastle uses to distinguish whether or not a sidewalk qualifies for replacement:

1. Slab/ramp is not ADA compliant;
2. Two adjacent slabs have raised or settled causing a cross slope of one 1" per foot or greater;
3. Slab moves or wobbles;
4. Slab has settled preventing water from draining off sidewalk;
5. Separation of 1" or more (excluding joint material or score line) between slabs and:
  - a. Other slabs
  - b. Driveway
  - c. Driveway to house
  - d. Curb;
6. Spalling of ½" deep by 12" diameter or greater;
7. Holes in slab larger than 1" diameter;
8. 5 or more cracks in slab;
10. Obstructions protruding 1" or more above sidewalk;
11. Any other factors affecting the safety of the sidewalk.

**City of Greencastle  
Sidewalk Improvement Program  
Internal Procedures  
2012**


1. Applications available April 1, 2012. Receive Applications by May 14. Document date and time received.
2. Conduct a site inspection.
  - a. Identify specific location;
  - b. Make sure location is inside Greencastle corporate boundaries;
  - c. Visit the site and evaluate the location and condition of the sidewalk
  - d. Verify whether location adjoins a residential property;
  - e. Verify that location is in public right-of-way and is a qualifying sidewalk repair/replacement (not new sidewalk, driveway, connection to curb, etc.)
  - f. Verify that sidewalk has significant cracks, trip hazards, or does not meet ADA standards.
3. If any of the criteria in section 2 are not met, send denial form letter.
4. If all of the criteria in section 2 are met,
  - a. Rank the applicants in order of non-compliance with ADA and severity of safety hazards. Compare to City's list of sidewalk repair priorities. Priority for inclusion in the program will be given to residential properties.
  - b. Determine whether the repair will require the removal of a tree. Consult Public Works Department to determine viability of removal.
  - c. Re-measure length and width of sidewalk for replacement.
5. Determine which sidewalks qualify and are in most need of repair. Include those segments of sidewalk in the City's bid for sidewalk construction.
6. Once bids are received, for each sidewalk segment, determine one-half the cost of the bid. Send Property Owner a written approval notification that includes description of work to be performed and an invoice for payment to the City. Property owners shall have no more than thirty (30) days to provide payment. If payment is not received, the City will delete the sidewalk from the project.
7. The City awards the construction contract to lowest responsive/responsible bidder.

**Timeline**

April 1	Applications available
May 14	Applications due
May 14-June 4	Applications evaluated
June 15	Construction bid issued
July 9	Construction bids due
July 16	Approval notification letters issued
August 16	Payments due from residents
August 18	Award of Contract—BOW Meeting

Greencastle, IN ADA Inventory

N



- Legend
- ADA\_ramps-(Sidewalk)\_Needs\_ADA
  - ADA\_ramps
  - Street widths2\_dwg\_Polyline

0 750 1,500 3,000 Feet